



HAZARDOUS WASTE MANAGEMENT PLAN

San Bernardino Valley College
701 South Mount Vernon Avenue
San Bernardino, California 92410

&

Crafton Hills College
11711 Sand Canyon Road
Yucaipa, California 92399

EFFECTIVE: October 2012

REVISED: May 2024

POLICY STATEMENT 5

DEFINITIONS 5

RESPONSIBILITIES 6

Program Administrator 6

Safety & Risk Management Department..... 7

Supervisors 7

Employees..... 7

Custodial Supervisor 7

HAZARDOUS WASTES..... 8

Recognizing Solid Wastes 9

Resource Conservation and Recovery Act Hazardous Waste..... 9

Characteristic Wastes..... 9

Listed Wastes 10

Non-RCRA Hazardous Waste 10

Extremely Hazardous Waste 11

Universal Waste 11

Characterizing Waste..... 12

Inherently Waste-Like Chemicals/Legacy Chemicals..... 13

BIOHAZARDOUS WASTE..... 13

Biohazardous Waste Storage 13

Biohazardous Waste Labeling 14

Decontaminating Biohazardous Waste 15

Solid, Liquid, and Sharps Biohazardous Waste Disposal..... 15

Training for Biohazardous Waste Handling 15

CONTAINERS AND MANAGEMENT 16

Placing A Container into Service..... 16

Storage Requirements 18

Collection..... 19

Universal Wastes 19

Empty Containers..... 20

Labeling Requirements..... 21

Hazardous Waste 21

Satellite Accumulation 22

Non-Hazardous Waste 22

Universal Waste 23

Manifesting And Recordkeeping 24

Inspection Requirements and Checklists..... 24

EMERGENCY REPONSE 26

General..... 26

Emergency Coordinator 26

Site Emergency Response Equipment 26

Emergency Spill Response..... 26

REPORTING REQUIREMENTS/REPORTING 28

Incident Report..... 28

Local Fire Department 29

Office of Emergency Services Warning Center 29

National Response System Reporting 29

Department of Toxic Substances Control Reporting..... 29

CAL-OSHA 30

Reportable Quantity	30
Written Reports	31
TRAINING REQUIREMENTS.....	32
General.....	32
Hazardous Waste Generator Training	32
Universal Waste Training	32
Spill Response Training	32
PROGRAM EVALUATION.....	32
References	33
APPENDIX A: SBVC SITE SPECIFIC INFORMATION	34
APPENDIX B: CHC SITE SPECIFIC INFORMATION	35
APPENDIX C: CONCENTRATION OF CONTAMINANTS	36
APPENDIX D: LIST OF CHEMICAL NAMES AND COMMON NAMES FOR HAZARDOUS WASTES AND HAZARDOUS MATERIALS.....	37
APPENDIX E: LIST OF INORGANIC PERSISTENT AND BIOACCUMULATIVE TOXIC SUBSTANCES AND THEIR SOLUBLE THRESHOLD LIMIT CONCENTRATION	64
APPENDIX F: SBCCD WASTE STREAM DESIGNATION/CATEGORY/PROFILE TABLE..	66
APPENDIX G: WEEKLY HAZARDOUS WASTE CONTAINER STORAGE AREA INSPECTION CHECKLIST	75
APPENDIX H: SBCCD ACCIDENT/INCIDENT REPORT.....	76

Policy Statement

The purpose of this Hazardous Waste Management Plan (HWMP) is to serve as a guidance document to facilitate the proper handling of the hazardous waste generated from SBCCD College Campuses. This document also serves as guidance for hazardous waste procedures primarily generated by the Chemistry/Health Sciences departments, Maintenance & Operations (M&O) Department, construction operations, and other departments District wide. SBVC and CHC are a small quantity generator (SQG, 40 CFR 262.34) and some of its hazardous and universal wastes include:

- | | |
|---------------------------------|--------------------------------|
| Waste Flammable Liquid | Fluorescent Light Tubes |
| Waste Corrosive Liquid | High-pressure Sodium Bulbs |
| Waste Corrosive Solid | Freon cylinders |
| Heavy Metals/Inorganic Waste | Non-PCB Light Ballasts |
| Waste Oxidizing Liquid | Aerosol Paint Cans |
| Waste Oxidizing Solid | Waste Oil-based Paints |
| Compact Fluorescent Light Tubes | Respiratory Cartridges |
| Waste Mercury (thermometers) | High Intensity Discharge Lamps |
| Waste Paint Thinners | Alkaline Batteries |
| Waste Inorganics, Toxic | Waste Halogenated Organics |
| Waste Non-Halogenated Organics | |

The HWMP assures compliance with all Federal, State, and Local regulations. All personnel who handle, generate, package, label or move waste must refer to this document when making waste management decisions. Waste inspection procedures are also included in the HWMP.

Due to the ever-changing regulatory statues developed by the Federal, State and Local agencies, it is imperative that the contents of this HWMP be updated regularly to reflect any changes mandated by the regulatory agencies. This HWMP will require updates as inspection procedures, waste types, and waste profiles change, necessitating changes in waste management.

This program shall be made available to any contractor or subcontractor or their representative who will be involved with the hazardous waste operation; to employees; to employee designated representatives; to Division representatives, and to personnel of other Federal, State, or Local agencies with regulatory authority over the site.

DEFINITIONS

- **CERCLA** - Comprehensive Environmental Response, Compensation, and Liability Act
- **CEPRC** – Chemical Emergency Planning and Response Commission
- **CUPA** – Certified Unified Program Agency
- **Decontamination** - The removal of hazardous substances from employees and their equipment to the extent necessary to preclude the occurrence of foreseeable adverse health effects.
- **DTSC** – Department of Toxic Substance Control

- **DOT** – Department of Transportation
- **EPA** – Environmental Protection Agency
- **Incidental Release** - An incidental release is one that does not cause a health or safety hazard to employees and does not need to be cleaned up immediately to prevent death or serious injury to employees.
- **LC₅₀** – Lethal Concentration: is a toxic unit that measures the lethal dose of a given substance.
- **LD₅₀** – Lethal Dose: median lethal dose
- **NRC** – National Response Center
- **Non-RCRA** – A California hazardous waste that does not meet the definition of RCRA hazardous waste at the federal level.
- **N.O.S.** – Not Otherwise Specified
- **RCRA** – Resource Conservation and Recovery Act
- **RQ** – Reportable quantity: Reportable quantities means quantities that may be harmful as set forth in 117.3, the discharge of which is a violation of section 311(b)(3) and requires notice as set forth in 117.21.
- **SPCC** – Spill Prevention Control & Counter Measure Plan
- **WET** – Waste Extraction Test: test methods used in California to determine whether a waste is a toxic hazardous waste.
- **Uncontrolled release** - An uncontrolled release is the accidental release of a hazardous substance from its container. If not contained, stopped, and removed, the release would pose a hazard to the employees in the immediate area or in areas in the path of the release, or from its byproducts or its effects (such as toxic vapors, fire, over-pressurization, toxic gases, or toxic particulates).

RESPONSIBILITIES

Program Administrator

The College President is the HWMP Program Administrator, the Vice President of Administration is the designee, and both have the authority and responsibility for implementing and maintaining this HWMP for their respective campuses.

Assigned campus designees are as follows:

Vice President of Administrative Services/SBVC, Site Safety Officer
San Bernardino Valley College
Tel: (909) 384-8958
&
Vice President of Administrative Services/CHC, Site Safety Officer
Crafton Hills College
Tel: (909) 389-3210

The HWMP Administrators and designees may be assisted in their duties by the SBCCD Environmental Health and Safety Administrator. The EH&S Administrator can be reached at (909) 388-6935 during regular business hours or EHS@SBCCD.edu.

The duties of the HWMP Administrator include, but are not limited to the following:

- Responsible for ensuring that all affected groups at SBCCD are meeting the intent under this HWMP.
-

- Provide program framework for labs and applicable departments.
- Coordinate with Safety & Risk Management to ensure training resources/consultative services are available to supervisors and employees.
- Manage internal finances for waste disposition.
- Ensure departmental compliance with all the procedures outlined in this HWMP, the California Health & Safety Code, Title 22, California Code of Regulations (CCR), and Title 40, Code of Federal Regulations (CFR).
- Record keeping of the types and amounts of hazardous wastes generated.
- Record keeping of all Uniform Hazardous Waste Manifests.

Safety & Risk Management Department

- Obtain and maintain EPA identification numbers.
- Monitor compliance with the California Health & Safety Code, Title 22, California Code of Regulations (CCR), and Title 40, Code of Federal Regulations (CFR).
- Facilitate or coordinate training for all SBCCD employees ensuring managers and supervisors are familiar with the health and safety hazards to which employees under their immediate direction or control may be exposed, as well as applicable laws, regulations, and SBCCD safety rules and policies.
- Maintain a current list of employees that have been trained and authorized to sign waste manifests District wide.

Supervisors

- Convey importance of this HWMP to employees.
- Responsible for ensuring all employees receive necessary training.
- Responsible for ensuring employees are following policies and procedures outlined in this HWMP.

Employees

- Follow SBCCD policies and the procedures outlined in this HWMP.
- Laboratory Technicians are responsible for management of hazardous waste in their respective assigned work areas.
- Provide identification of hazardous waste for subsequent handling.
- Participate in training programs in order to obtain the necessary skills and knowledge to identify and handle hazardous waste from a safety and health perspective.

Custodial Supervisor

- Follow SBCCD policies and procedures outlined in this HWMP.
- Recycle/reuse, where possible.
- Coordinate identification and waste characterization with SBCCD designated hazardous waste

- contractor (if not done by the lab/department).
- Coordinate hazardous waste manifesting with SBCCD designated hazardous waste contractor
- Coordinate off-site hazardous waste transportation requirements with SBCCD designated hazardous waste contractor.
- Coordinate land disposal restrictions for certain hazardous wastes with SBCCD designated hazardous waste contractor.
- Review and sign all Uniform Hazardous Waste Manifests by trained and authorized designated personnel under the supervision of the Program Administrator.

HAZARDOUS WASTES

The handling and storage of hazardous and non-hazardous waste requires that specific procedures be followed to maintain compliance with Federal, State, and Local regulations. The first step in the process is to properly identify and classify the waste. The following section identifies the various waste types and what constitutes a waste of that type. Common hazardous waste streams for SBVC can be found in Appendix E. Common hazardous waste streams at CHC are listed in Table 1 below.

Table 1: CHC Waste Stream Designation/Category/Profile Table

Chemical	Non-RCRA Hazardous Waste Solid	Waste Corrosive Liquid, Acidic, Inorganic, N.O.S.	Waste Corrosive Liquid, Basic, Inorganic, N.O.S.	Waste Flammable Liquid, N.O.S.	Waste Flammable Gas (Aerosols), N.O.S.
Hydrochloric Acid		X			
Mercury			X (toxic)		
Nitric Acid		X			
Phosphoric Acid		X			
Potassium Hydroxide			X		
Respirator Cartridges	X		X		
Sodium Hydroxide			X		
Waste Aerosols					X
Waste Paint-Related Materials			X	X	

Recognizing Solid Wastes

Any material, chemical, or solution determined to be an unusable product, becomes a solid waste. A solid waste is any material that is discarded, i.e. abandoned, recycled, or considered inherently waste-like (22 CCR §66261.2).

Federal and State regulations define hazardous waste as a substance that poses a hazard to human health or the environment when improperly managed. Hazardous wastes may be solid, liquid, gaseous or a combination of solid and liquid (sludge). A liquid can be a solid waste. To assist in this task, the most common hazardous waste streams generated at SBCCD are determined and classified in this HWMP in Appendix E.

Resource Conservation and Recovery Act Hazardous Waste

RCRA hazardous wastes are also known as EPA wastes or Federal wastes. A waste is a RCRA hazardous waste if:

- It is not excluded from classification as a waste or a hazardous waste; and
- It meets any of the following criteria:
 - It exhibits any of the characteristics of hazardous waste identified in 22 CCR §66261.20 (Characteristic Waste, Section 6.3);
 - It is a listed waste as identified in [22 CCR §66261.30](#) (Listed Waste, Section 6.4); or
 - It is a mixture of waste and one or more hazardous wastes. However, mixtures of wastes and hazardous wastes are not hazardous wastes*, if the generator can demonstrate that the mixture consists of wastewater, the discharge of which is subject to regulation under either section 402 or section 307(b) of the Clean Water Act. This discharge requires an industrial wastewater permit approved by the Bureau of Sanitation.

*Mixtures of a non-hazardous waste and hazardous waste that was listed for exhibiting a hazardous characteristic are not considered hazardous if the mixture no longer exhibits any hazardous characteristics.

However, the waste is not a RCRA hazardous waste if:

- It is determined that the waste does not meet the criteria of a hazardous waste by:
 - Testing the waste according to approved methods (Sampling & Analysis); or
 - Applying knowledge of the hazardous properties of the waste in light of the materials or the processes used and the characteristics (Process Knowledge).

Characteristic Wastes

The EPA has set additional requirements for any solid waste determined to be hazardous if it meets any of the definitions of a "characteristic" waste (22 CCR §66261.20-24). The following are EPA assigned Waste

Code Numbers and definitions.

Flammability/Ignitability (D001) – A solid waste is ignitable if it has any of the following properties: (1) it is a liquid and has a flash point below 140 °F, (2) it is not a liquid and is capable of causing fire through friction, absorption of moisture or spontaneous chemical changes and when ignited it burns so vigorously that it creates a hazard, (3) it is an ignitable compressed gas, and (4) it is an oxidizer. Examples include acetone, propane, acetylene, oil-based paints, and many solvents.

Corrosivity (D002) – A solid waste is corrosive if it has any of the following properties: (1) it is

aqueous and has a pH less than or equal to 2 or greater than or equal to 12.5, (2) it is a liquid and corrodes steel at a rate greater than 0.25 inches a year. Examples include muriatic acid and corrosive cleaning solutions that contain sodium hydroxide.

Reactivity (D003) – A solid waste is reactive if it has any of the following properties: (1) it is normally unstable and readily undergoes violent change without detonating, (2) it reacts violently with water, (3) it forms explosive mixtures with water, (4) when mixed with water it generates toxic gases, vapors or fumes, (5) it is a cyanide or sulfide bearing waste, which when exposed to pH conditions between 2 and 12.5, can generate toxic gases, vapors, or fumes, (6) capable of detonation or explosive reaction if subjected to a strong initiating source or if heated under confinement, and (7) it is readily capable of detonation or explosive reaction at standard temperature.

Toxicity (D004) – A solid waste exhibits the characteristic of toxicity if it is equal to or exceeds the Toxicity Characteristic Leaching Procedure (TCLP) limit listed in 40 CFR 261.24 Table I – Maximum Concentration of Contaminants for the Toxicity Characteristic. It is then assigned the corresponding waste code listed in Table I. Table I is presented in Appendix C.

Listed Wastes

The EPA has developed specific lists of materials for which they have determined are hazardous wastes (22 CCR §66261.30-35). There are three categories of these wastes:

- Chemical products which are regulated as hazardous wastes when they are discarded commercial chemical products, off-specification species, container residues, and spill residues thereof (P² and U waste codes listed materials).
- Specific wastes from specific types of industrial processes (K waste code).
- Wastes from non-specific types of industrial processes (F waste code).

Non-RCRA Hazardous Waste

The California EPA and Department of Toxic Substances Control (DTSC) regulate materials in addition to those that are regulated by the EPA. These wastes are characterized as non-RCRA hazardous wastes (i.e. iodine, glucose, methyl orange, phenol red, etc.). All EPA and non-RCRA Hazardous Wastes are also assigned a specific [California Waste Code Number](#).

The following are non-RCRA/California hazardous wastes:

- It is listed in or contains a constituent listed in Appendix X of 22 CCR 66261 (Appendix D).
- It contains a substance listed in 22 CCR 66261.24 Table II or Table III (Appendix E) at a concentration in milligrams per liter of waste extract above the Table value, as determined using the Waste Extraction Test (WET).
- It has an acute oral LD50 less than 2,500 milligrams per kilogram.
- It has an acute dermal LD50 less than 4,300 milligrams per kilogram.
- It has an acute inhalation LC50 less than 10,000 parts per million as a gas or vapor.
- It has an acute aquatic 96-hour LC50 less than 500 milligrams per liter (fish kill test).
- It contains any of the substances listed in 22 CCR 66261.24(a) (7) at a single or combined concentration equal to or exceeding 0.001 percent by weight.
- It has been shown through experience or testing to pose a hazard to human health or environment because of its carcinogenicity, acute toxicity, chronic toxicity, bio accumulative properties or persistence in the environment.

Extremely Hazardous Waste

According to 22 CCR §66261.107 a waste or a material is considered extremely hazardous if it:

- Has an acute oral LD50 less than or equal to 50 milligrams per kilogram;
- Has an acute dermal LD50 less than or equal to 43 milligrams per kilogram;
- Has an acute inhalation LC50 less than or equal to 100 parts per million as a gas or vapor;
- Contains any of the substances listed in 22 CCR §66261.24(a) (7) at a single or combined concentration equal to or exceeding 0.1 percent by weight;
- Has been shown through experience or testing that human exposure to the waste or material may likely result in death, disabling personal injury, or serious illness because of the carcinogenicity, high acute or chronic toxicity, bio accumulative properties, or persistence in the environment of the waste or material;
- Is water-reactive; or
- Contains a substance listed in 22 CCR §66261.113 at a concentration in milligrams per kilograms of waste extract above the Table value, as determined using the WET method.

Universal Waste

New laws adopted since 2000 created California's "Universal Waste Rule" to simplify how we manage common hazardous wastes. This allows generators to manage certain wastes in a less stringent way.

Universal wastes are hazardous wastes that are common to the workplace and pose a lower risk to people and the environment than other hazardous wastes. Federal and State regulations identify universal wastes and provide simple rules for handling, recycling, and disposing of them. The regulations, called the "Universal Waste Rule," are in the California Code of Regulations, Title 22, Division 4.5, Chapter 23.

All universal wastes are hazardous wastes, and without the new rules, they would have to be managed under the same stringent standards as other hazardous wastes. Also, universal wastes are generated by a

wide variety of people rather than by the industrial businesses that primarily generate other hazardous wastes.

The following items are universal wastes when they are no longer useful or are discarded:

- Mercury thermostats. These thermostats contain small glass capsules of mercury, a shiny liquid metal, to make electrical contact. Modern electronic thermostats do not contain mercury.
- Batteries. Universal waste batteries include all types, such as rechargeable nickel- cadmium batteries, silver button batteries, mercury batteries, small sealed lead acid batteries (burglar alarm and emergency light batteries), most alkaline batteries, carbon-zinc batteries, and any other batteries that exhibit a characteristic of a hazardous waste (§66261.20 through §66261.24).

NOTE: Spent automotive-type lead acid storage batteries are not universal waste. They are hazardous wastes that require specific management.

- Lamps – Universal waste lamps include fluorescent tubes, high intensity discharge lamps, sodium vapor lamps, and any other lamps that exhibit a characteristic of a hazardous waste.
- Non-empty aerosol cans – Aerosol cans sometimes need to be discarded before they are completely empty. This occurs for a variety of reasons, including when the spray mechanism no longer operates as designed, the propellant is spent, or the product is no longer used.
- Mercury switches – These switches include thermostats and tip switches in portable heaters, silent wall switches, motor vehicle light switches, and other mercury- containing switches and products containing them.
- Mercury thermometers, including fever thermometers.
- Pressure or vacuum gauges that contain mercury such as U tube manometers, barometers, and sphygmomanometers (blood pressure meters).
- Consumer electronic devices – Electronics that exhibit hazardous characteristics such as some cell phones, game consoles, and computers.
- Gauges – Vacuum and pressure gauges that contain mercury, including blood pressure gauges, barometers, and manometers.

Characterizing Waste

It is the responsibility of the Laboratory Technicians to determine if a waste is hazardous through coordination with the Program Administrator, which will consult with the District Environmental Health & Safety Administrator or the contracted hazardous waste management vendor. This is done through testing, knowing what the material is, or through process knowledge. These results known as waste profiles are listed for each known waste stream in the SBCCD Waste Stream Designation/ Category/ Profile Table in Appendix F.

Inherently Waste-Like Chemicals/Legacy Chemicals

“Inherently waste-like chemicals” include expired chemicals, chemicals in deteriorating containers, and chemicals that appear to be or are unusable. State inspectors may issue fines or infractions for inherently waste-like chemicals in the laboratory. Chemicals should not be kept past their expiration date, and cleanouts should be conducted during annual chemical inventory updates.

Legacy chemicals are those unwanted chemicals that are left behind by laboratory staff when they leave the College or move laboratories. They become the responsibility of the new space occupants. The Chemical Hygiene Officer and appropriate laboratory personnel are required to completely clean out laboratories before they leave, including all hazardous chemicals and waste. If a new staff member moves into a laboratory that has legacy chemicals in it, they should tell their Chemical Hygiene Officer immediately. Unless there is a clear record of use and storage of the legacy chemical, and they think that they will use them, arrange to request their collection as hazardous waste, and follow all waste accumulation rules, including hazard identification, labeling and segregation.

Biohazardous Waste

All personnel are responsible for following established protocols for identifying, segregating, decontaminating, and properly packaging and disposing of biohazardous waste. Biohazardous wastes generated at SBCCD include:

- Wildlife dissection specimens
- Urine specimens
- Fungal and bacterial cultures
- Laboratory glass and plastic ware waste when contaminated with biohazardous materials. Examples include culture dishes, plates and flasks, pipettes, pipette tips, devices used to transfer, inoculate and mix cultures.
- Laboratory waste that has come in contact with the above listed biohazardous agents or other biohazardous agents (i.e. pathogenic agents, body tissues and/or fluids), and disposable laboratory personal protective equipment (gloves, gowns, shoe covers, masks)
- Sharps waste are instruments used to puncture, cut, or scrape body parts and that, in a waste container, can cause punctures or cuts to solid waste handlers or the public, and include needles, syringes, scalpel blades, glass tubes, glass slides, cover slips, razor blades.

Biohazardous Waste Storage

All biohazardous waste shall be contained separately from other waste at the point of generation.

- All waste shall be decontaminated.
 - All solid biohazardous waste shall be placed in approved-biohazard red disposable, leak proof bags having enough strength to prevent ripping, tearing, breaking, or bursting under normal use. The biohazardous waste bags must be securely tied and placed in secondary containment during storage and transport.
-

- Secondary containments must be rigid, leak resistant, have tight fitting covers, be clean, and in good repair.
- All biohazardous sharps waste shall be placed in an approved, rigid, puncture-resistant, leak resistant, biohazardous sharps container and which, when sealed cannot be opened without great difficulty. These containers are red in color and equipped with a tight-fitting lid for use during handling and transport. The primary container must be placed within a secondary leak proof, rigid container during any transport. Treated sharps shall not be mixed with the general solid waste stream at any time.
- Free flowing liquid waste must be contained in leak proof, rigid durable containers. The containers shall contain chlorine bleach (or other suitable chemical disinfectant) and shall be properly labeled. These containers shall be closed and placed within leak proof containers during handling and transport and placed within leak proof containers for handling or transport.
- All solid biohazardous waste, except for biohazardous sharps waste, must be properly stored in the SBCCD designated storage locations and disposed of during the quarterly waste disposal pick-ups.
- Biohazardous sharps waste must be stored in the SBCCD storage locations and disposed of during the quarterly waste disposal pick-ups or when approximately 2/3 full, whichever event occurs first.

Biohazardous Waste Labeling

All biohazardous waste and pathology waste containers including red bags, bottles, sharps containers and secondary containers must be labeled with the words “BIOHAZARDOUS WASTE” or with the international symbol (Figure 1) and the word “BIOHAZARD.” All secondary containers of pathology waste must be labeled with the words “PATHOLOGY WASTE – FOR INCINERATION ONLY.”



Figure 1: International Biohazard Symbol

Decontaminating Biohazardous Waste

Bagged Waste: Certain types of solid waste such as bacterial cultures¹ can be decontaminated using steam sterilization (Autoclaving). Place autoclave label or tape on the biohazard bags to indicate that the waste has been treated. Note: Biohazardous waste with chemical waste should not be autoclaved.

Laboratory Glass and Plastic Ware Waste: Decontaminate waste using steam sterilization (Autoclave). Bagged waste with glassware or hard plastic pipettes should be packaged in a cardboard box and labeled "LABORATORY GLASSWARE". Bagged waste and boxes of laboratory glassware can be placed in the regular waste container for the laboratory.

Carcasses: Carcasses that have been fixed in phenol or other fixatives must have the solutions drained and disposed of as a hazardous chemical waste. The tissues or carcasses can then be disposed of as pathology waste.

SBCCD's Autoclave Permit, as issued by the Department of Public Health, Environmental Health Services agency, requires recordkeeping, training, and quality control checks to be performed to assure adequate sterilization conditions. Contact the Chemical Hygiene Officer for more information.

¹ Refer to SBCCD's Autoclave Permit for wastewater discharge limits of Waste Electrophoresis Gel generated by Molecular Biology department.

Solid, Liquid, and Sharps Biohazardous Waste Disposal

A request for the collection of wastes can be made by emailing a list of the biohazardous waste and its location to Administrative Services, Maintenance & Operations or Custodial Supervisor.

Liquid biohazardous waste should be decontaminated by mixing 1 part chlorine bleach to 9 parts of liquid biohazardous waste, prior to placement in appropriate leak proof, rigid durable containers for eventual disposal.

Service agreements which involve hazardous waste consultation, removal, transport, treatment or disposal by other vendors must be approved by Vice President of Administrative Services or the District Environmental Health & Safety Administrator first. Arrangements with outside vendors for collecting hazardous waste must not be made without contacting the Vice President of Administrative Services or the District Environmental Health & Safety Administrator.

Training for Biohazardous Waste Handling

Employees who handle biohazardous waste in any capacity must be trained at a level equal with their duties. Training records must be kept for all employees. SBCCD maintains a database for all employee training records.

Biohazardous Waste training shall be a module of training within Chemical Hygiene training and be provided annually and when working with new chemicals or work practices, and applies to anyone who handles, packages, stores, transports, and/or decontaminates biohazardous waste.

CONTAINERS AND MANAGEMENT

Placing A Container into Service

When placing a drum, portable tank, or tote into service for the collection of industrial or hazardous wastes, the following sequence of events must occur:

Selecting a Container

The proper drum, portable tank, or tote must be selected for the accumulation of each unique waste stream. Accumulate waste in an appropriate container compatible with the waste. Containers that were designed for solid chemicals should not be used for liquids. Use only containers that show no sign of damage or deterioration.

Only use containers with screw top closures. The lids of waste containers should be removed only when waste is being added to the container. Use spring loaded funnels for adding waste frequently to waste containers.

If waste accumulates in containers greater than 5-gallons in volume, ensure the drums used to accumulate regulated wastes are in good condition and are approved by the Department of Transportation (DOT) for highway mode transportation.

Do not fill the containers completely. Each container must have at least one inch of headspace above the waste when it is collected. Request collection of waste ahead of time to avoid overfilling containers.

Labeling of Container

The container must be properly labeled immediately just prior to placing waste into the container.

Satellite Accumulation Area

A satellite accumulation area is any accumulation container that is kept in the individual's routine work area and is under his/her control. Satellite accumulation areas allow generators to accumulate 55-gallons of a single hazardous waste stream/type (or 1-quart of acutely hazardous waste or extremely hazardous waste) in multiple locations. Therefore, an individual can accumulate multiple containers of hazardous acutely hazardous waste or extremely hazardous waste as long as the material is not of the same waste stream.

Satellite accumulation containers must be moved from their location and placed into the 90-day waste accumulation area within one year. Once the container is full in the satellite accumulation area, it must be moved within three days to the 90-day accumulation area.

The hazardous waste is stored in satellite accumulation areas in the following buildings at CHC:

- Anatomy/Biology – CYN 202
- Art – Arts 101

- Biology 207
- Chemistry – CYN 109
- Microbiology –CYN 209
- Physics –CNTL 246
- Theatre – PAC 101 (Backstage)
- Maintenance and Operations - Warehouse 102
- Maintenance and Operations Pad South End (waste oil stored under a shed)
- EMS - PSAH-107A
- Health & Wellness – SSB 101

The hazardous waste is stored in satellite accumulation areas in the following buildings at SBVC:

- Physical Science Building – [PS 314]
- Maintenance & Operations – [located at the Warehouse property. 1010 Grant Ave. Colton. East of Storage room 3.]
- Art Building – [Exterior North, Gated Area]
- Technical Building – (Steam Clean Area, between the Aeronautics and Body Shops)
- Transportation Building – (Used Oil Drum & Filter Storage Area, South Storage Room)

180-Day Accumulation Area

(270-Day Accumulation Area if waste is transported a distance of 200 miles or more from SBCCD)

The central storage area at SBVC is 1010 Grant Ave. Colton. East of Storage room 3. The central storage area at CHC is in the Maintenance and Operations building 1; it is located on Emerald View Drive, north of Campus Drive. All of the waste from the satellite accumulation areas identified above is consolidated and profiled at the Central Storage area every 180 days for proper transportation and disposal.

A 180-day storage area is an area designed to store hazardous waste containers. If the container is used for accumulation in the 180-day storage area, the date of its first use must be put on the label in the appropriate location immediately upon use. It must be labeled and dated immediately upon use. The container must then be recycled or disposed to an off-site facility for disposal within 180 days.

The central hazardous waste storage area shall include a secondary containment capable of holding the volume of the largest storage container plus sufficient freeboard to offset the accumulation of any potential precipitation into the containment area. Secondary containment structures must be made of material compatible with the stored material and environmental conditions and be constructed in such a manner so as to contain a potential release from the storage container(s). Secondary containment systems must not be compromised by the storage of other material, debris, or water (including storm water). Containers shall be inspected periodically, and records kept of those inspections.

Maintaining Containers – When a drum or container has been put into service it must be kept closed at all times, and containers must be kept in good condition. Leave headspace in the container for temperature and vapor pressure changes. A drum/container should be opened only when adding material. Open-top drums must have the lid securely fastened using the ring band. All bungs on open and closed-top drums must be kept closed to prevent evaporation or spilling of the waste material.

These measures are not only regulatory requirements, but also can prevent a spill should a drum be overturned. If a device (i.e. funnel, pump, etc.) has been installed on a drum, it must seal the drum to prevent leakage, or be removed and have bungs put in place after its use.

Grounding Containers – Drums and/or storage containers used to store and/or dispense flammable liquids must be grounded.

Storage Requirements

There are different requirements for storage of hazardous wastes and are listed in [Title 40 Parts 264](#). These requirements depend on the quantities stored and where they are stored. Hazardous waste may be accumulated in either a satellite accumulation area or in a 180-day accumulation area. Either of these areas must be managed to prevent the spill or release of the waste and to prevent the mixing of incompatible waste streams. All stored containers must have sufficient aisle space of at least 36 inches wide for container inspections. Spill kits should be located near the storage area where liquids are stored.

Store the waste away from emergency equipment such as safety showers and emergency access panels. Do not block exits. Do not store the waste near or in sinks. Do not accumulate large amounts of waste in the fume hood. If the waste is stored in an area that drains to a floor drain, the waste must be in secondary containment.

Segregate regulated chemical waste by chemical compatibility. Incompatible waste or incompatible materials must not be placed in the same container or container storage area. All incompatible materials must be separated by means of a dike, berm, wall, or distance (§66265.177). Secondary containment should be used for segregation of incompatible wastes accumulated in the same area and should be able to adequately contain all of the contents of the containers. Chemical wastes should be physically segregated by observing the general classes listed in Table 3 below and by checking the Safety Data Sheets for the chemical.

Table 3: Chemical Use Category Segregation Table

Acids	Segregate acids from reactive metals such as sodium, potassium, magnesium.
	Segregate oxidizing acids from organic acids such as glacial acetic acid and from flammable and combustible materials, such as cardboard boxes.
	Segregate acids from chemicals which could generate toxic or flammable gases upon contact.
	Segregate acids from bases.
Bases	Segregate bases from acids, metals, explosives, organic peroxides and easily ignitable materials.
Flammables	Store in approved safety cans or cabinets. Segregate from oxidizing acids and oxidizers. Keep away from any source of ignition: heat, sparks, or open flames.

Oxidizers	Store in a cool dry place. Keep away from combustible and flammable materials. Keep away from reducing agents such as zinc, alkali metals, and formic acid.
Cyanides	Segregate from acids and oxidizers.
Water Reactive Chemicals	Store in a cool dry place away from any water source. Have a Class D fire extinguisher available in case of fire.
Pyrophoric Substances	(Materials that will react with the air to ignite when exposed, e.g., Iron Sulfide, Alkali Metals.) Store in a cool dry place, making provisions for an airtight seal.

Collection

A request for the collection of waste can be made by emailing a list of the hazardous waste and its location to Administrative Services, Maintenance and Operations or the Custodial Supervisor.

Service agreements which involve hazardous waste consultation, removal, transport, treatment or disposal by vendors must be approved by Vice President of Administrative Services or the District Environmental Health & Safety Administrator first. Arrangements with outside vendors for collecting hazardous waste must not be made without contacting the Vice President of Administrative Services or the District Environmental Health & Safety Administrator.

Universal Wastes

Universal Waste container management is similar to hazardous wastes. The specific requirements for the management of Universal Waste containers are the following:

- (1) Do not dispose of universal waste in the trash.
- (2) Send all universal waste to a facility authorized to collect, recycle or dispose of universal waste.
- (3) Do not accumulate more than 5,000 kilograms (5.5 tons) of universal waste at any one time for Small Quantity Handlers of Universal Wastes.
- (4) Do not store universal waste for longer than one year after generating or receiving the waste. If you think you need more time, contact District Safety & Risk Management at (909) 388-6935 to attain authorization for special provisions from the Certified Unified Program Agency (CUPA) well before your oldest universal waste will be held for one year (§66273.15).
- (5) Generally, you may not treat universal waste except when cleaning up releases or managing specific wastes as provided in section 66273.13 (for example, removing mercury

ampoules from thermostats or removing electrolyte from batteries) (§66273.11). Treatment includes any activity that changes the characteristics of the waste.

- (6) Clean up any releases such as leaking batteries or broken fluorescent tubes. Repackage the damaged universal waste and manage it as universal waste. Manage any other materials generated, such as cleanup supplies and contaminated soil, as hazardous wastes if they are identified as hazardous waste (§§66273.13 and 66273.17).

Empty Containers

A container is considered “empty” if:

- You have used “normal, no-nonsense means, such as inverting and draining, shaking, scraping, or scooping” to empty the container, while taking appropriate personal protective measures; and
- No more than 3% of the contents remain or no more than 1 inch of residue remains on the bottom of the container or inner liner.

Container reuse

If possible, reuse empty chemical containers for disposal of that same chemical or compatible chemicals. If container is reused, completely deface, or remove the original label, and fill out and affix a new hazardous waste label to the container.

Container recycling

Containers for non-toxic chemicals can be recycled if they are emptied and dried completely and their labels are defaced. Containers for the chemicals listed below can be recycled:

- Acetone
- Alcohols
- Hexane, Toluene, Xylene
- Non-toxic Buffers, Salts
- Sugars, Nutrients
- Cleaning products

Do not put these containers in public area bins; instead, take them to the nearest bottles and cans containers outside the building.

Container disposal

To dispose of the empty container, follow these directions:

- Dry the container in a well-ventilated area. Use a fume hood if available, or else find an area away from where people are working.
- With a pen, cross out or black out the labels on the container.
- Leave the container uncapped. Throw the cap away separately.
- Place the container in or next to the trash.

Labeling Requirements


All wastes must be properly labeled. Labels must be complete, legible, and placed right- side up on the container (not the lid or bottom). The following information must be included on the label:

- The words "Hazardous Waste", "Non-Hazardous Waste", or "Universal Waste".
- For used oil containers and tanks, label with the words "USED OIL"
- The name of the contents.
- SBVC or CHC name and address as appropriate.
- The composition and physical state, and hazardous properties.
- Accumulation Start Date.
- **EPA IDENTIFICATION NUMBER:** CAD981696347

Deface or remove any original labels remaining on the waste container to avoid confusion about the identity of the waste. If waste has been consolidated from multiple containers into one container, the oldest of the initial accumulation dates shall be used.

Hazardous Waste

Hazardous Waste labels must meet California requirements for labeling. All hazardous wastes have a California waste number. Some hazardous wastes may not have an EPA waste number. Hazardous waste labels must be placed on the hazardous waste container upon the start of accumulation. An example of the California blank waste label is in Figure 1.0 below.



**HAZARDOUS
WASTE**

STATE AND FEDERAL LAW PROHIBITS IMPROPER DISPOSAL
IF FOUND, CONTACT THE NEAREST POLICE, OR PUBLIC SAFETY
AUTHORITY OR THE U.S. ENVIRONMENTAL PROTECTION AGENCY OR
THE CALIFORNIA DEPARTMENT OF TOXIC SUBSTANCES CONTROL

GENERATOR INFORMATION:

NAME _____
 ADDRESS _____ PHONE _____
 CITY _____ STATE _____ ZIP _____
 EPA ID _____ MANIFEST _____
 NO. _____ TRACKING NO. _____
 EPA WASTE _____ CA WASTE _____ ACCUMULATION
 NO. _____ NO. _____ START DATE _____
 CONTENTS, COMPOSITION: _____

PHYSICAL STATE: SOLID LIQUID | **HAZARDOUS PROPERTIES:** FLAMMABLE TOXIC
 CORROSIVE REACTIVE OTHER: _____

DOT PROPER SHIPPING NAME AND UN OR NA NO. WITH PREFIX

HANDLE WITH CARE!

FIGURE 1.0: HAZARDOUS WASTE LABEL

Satellite Accumulation

Satellite Accumulation labels must meet California requirements for labeling. All hazardous wastes have a California waste number. Some hazardous wastes may not have an EPA waste number.

The Accumulation Start Date must be filled in as soon as the container is put into service. When it is moved from the satellite accumulation area to the permanent Hazardous Waste storage area, it must also be dated in the “Hazardous Waste Storage Area” line. An example of a blank Accumulation Container label is shown in Figure 2.0 below.



FIGURE 2.0: HAZARDOUS WASTE ACCUMULATION LABEL

Non-Hazardous Waste

Other than general trash, all non-hazardous waste in containers must be identified so as to separate it from general trash and prevent it from being disposed of with general trash.

SBCCD generates several types of non-hazardous waste that is disposed separately from general trash (refer to Appendix F). The waste container should be labeled with its contents and the date it was first put into service. A typical non-hazardous waste label is in Figure 4.0 below.



FIGURE 4.0: NON-HAZARDOUS WASTE LABEL

Universal Waste

As with hazardous waste containers, Universal Waste containers must be labeled or marked to identify their types. Label the universal waste with an accumulation start date that is the date you discarded it yourself after it was “used up,” or decided to discard it (§66273.15(c)). An example of a blank Universal Waste label is shown in Figure 3.0 below.



FIGURE 3.0: UNIVERSAL WASTE LABEL

Universal Wastes must be identified with one of the following markings:

- Universal waste batteries (i.e., each battery), or a container in which the batteries are contained, Universal Waste-Battery(ies), or Waste Battery(ies), or Used Battery(ies).
- Universal waste thermostats (i.e., each thermostat), or a container in which the thermostats are contained, Universal Waste-Mercury Thermostat(s), or Waste Mercury Thermostat(s), or Used Mercury Thermostat(s).
- Each lamp or a container or package in which such lamps are contained, Universal Waste – Lamp(s), or Waste Lamp(s), or Used Lamp(s).
- Each universal waste electronic device or container or pallet in or on which universal waste electronic devices are contained, Universal Waste – Electronic Device(s) or UW Electronic Device(s).
 - In lieu of labeling individual universal waste electronic devices or containers or pallets, a small quantity handler may accumulate universal waste electronic devices within a designated area demarcated by boundaries that are clearly labeled with one of the following phrases Universal Waste – Electronic Device(s) or UW Electronic Device(s).
- Universal waste mercury switches and thermometers or a container in which the switches are contained, Universal Waste – Mercury Switch(es), or Waste Mercury Switch(es), or Used Mercury Switch(es).
- Pressure or vacuum gauges:
 - A container in which universal waste gauges are contained, Universal Waste – Gauge(s), or Waste Mercury Gauge(s) or Used Mercury Gauge(s).
 - A container in which mercury drained from one or more universal waste pressure or vacuum gauges is contained, Universal Waste – Drained Mercury, or Universal Waste – Mercury from Gauges.

- Universal Waste Aerosols – A container in which universal waste aerosol cans are contained, Universal Waste – Aerosol Cans, Waste Aerosol Cans, or Used Aerosol Cans

Manifesting And Recordkeeping

A hazardous waste manifest must accompany all hazardous waste that is shipped off-site ([EPA Form 8700-22](#)). SBCCD's designated EPA identification number is CAD981695281. Both the transporter and the SBCCD-designated employee must sign and date the manifest by hand. Contact District Safety & Risk Management Department at (909) 388-6935 for a current list of employees that have been trained and authorized to sign manifests at San Bernardino Valley College or Crafton Hills College.

The generator (SBCCD) must retain one copy of the manifest and give the transporter the remaining copies of the manifest. SBCCD will submit a copy of each manifest used to DTSC within 30 days of each shipment. The disposal facility receiving the hazardous waste shipment should send a final copy of the manifest to the generator within 30 days of delivery and will retain a copy of each manifest for at least 3 years from the date of delivery. If the disposal facility does not send a copy of the manifest within 35 days, SBCCD will reach out to the facility to determine the status of hazardous waste. If the disposal facility does not send a copy of the manifest within 60 days of when the waste was accepted by the initial transporter, SBCCD will file a Manifest Exception Report with DTSC.

SBCCD must keep a copy of each hazardous waste manifest signed for 3 years or until SBCCD receives a signed copy from the disposal facility. This signed copy must be retained by SBCCD as a record for at least

3 years from the date the waste was accepted by the initial transporter. SBCCD must also keep records of any test results, waste analyses, or other determinations made for at least 3 years from the date that the waste was last sent to on- site or off-site treatment, storage, or disposal.

All other wastes shipped off-site from SBCCD must be accompanied by appropriate transportation and final disposal/disposition documentation, such as bills of lading, non- hazardous waste manifests, etc. All transportation and final/disposition documentation must be kept for a period of at least 3 years from the date the waste was accepted by the initial transporter.

All wastes at SBCCD must be sent to an approved waste service contractor per District policy.

Inspection Requirements and Checklists

Weekly Inspection

Supervisors shall designate an appropriately trained employee that will conduct a weekly inspection of areas used for hazardous waste storage or transfer, looking for leaking containers and for deterioration of containers and the containment system caused by corrosion or other factors (22 CCR 66265.174). Also inspected is the accumulation start date of containers and if there is any evidence of spills or leaks.

At a minimum, the inspections shall include:

- **Open Containers** – If drums or containers are found with missing or open bungs, lids, or rings, the

missing item(s) are to be replaced immediately.

- Mislabeled Containers – Missing or incomplete labels must be corrected immediately.
- Ensure that wastes are stored in the appropriate containers that will not react with or are otherwise incompatible with the hazardous waste that the container is storing.
- Container Damage and Contamination – The containers in all hazardous waste storage areas are to be free of dents, bulges, or other defects, and must have a clean exterior.
- Signage – Check for appropriate signage around all hazardous waste storage areas (i.e. Hazardous Waste Storage Area – Authorized Personnel Only, No Smoking).
- Spills and Leaks – Check for signs of spills and leaks and report any spills immediately. Ensure that containers are not overfilled.
- Good Housekeeping – Spill containment for the hazardous waste storage areas must be in good condition and free of liquids. Check for proper aisle space, no breaches in containment, no excess waste, etc.
- Ensure that no incompatible wastes are stored within the same hazardous waste storage area.
- Ensure that all containers are dated, are less than 1 year from the accumulation start date on satellite accumulation hazardous waste containers and are less than 180 days from the accumulation start date on the 180-day accumulation containers.

Weekly inspections will be performed at the following hazardous waste storage areas at CHC:

- Anatomy/Biology – CYN 202 & 217
- Art – Arts 101
- Biology 207 & 217
- Chemistry – CYN 109 & 217
- Microbiology – CYN 209 & 217
- Physics – CNTL 246
- Theatre – PAC 101 (Backstage)
- Maintenance and Operations - Warehouse 102
- Maintenance and Operations Pad South End (waste oil stored under a shed)
- EMS - PSAH-107A
- Health & Wellness – SSB 101

Weekly inspections will be performed at the following hazardous waste storage areas at SBVC:

- Physical Science Building – [PS 314]
- Maintenance & Operations – [Warehouse. 1010 Grant Ave. Colton. East of Storage room 3.]
- Art Building – [Exterior North, Gated Area]
- Technical Building – (Steam Clean Area, between the Aeronautics and Body Shops)
- Transportation Building – (Used Oil Drum & Filter Storage Area, South Storage Room)

Inspection Form

The Weekly Inspection Form can be found in Appendix G.

As required, the inspection records shall be retained in the respective hazardous waste storage areas summarized above on-site for a minimum of three (3) years.

EMERGENCY REPONSE

General

Aisle spaces will be kept clear to allow easy evacuation if necessary and easy access for emergency personnel.

SBCCD will reach out to the following organizations to ensure they are aware of the hazardous waste and locations where those wastes are kept as appropriate for emergency purposes:

- Police and fire departments
- Local hospitals
- State emergency response teams

If for any reason these organizations decline to work with SBCCD on emergency arrangements, the refusal shall be documented.

Emergency Coordinator

The Environmental Health & Safety Administrator shall be designated as the emergency coordinator to assist in the coordination of emergency efforts.

The emergency coordinator will assist in response to events happening within or near hazardous waste storage areas and take the following actions:

- Fire – ensure the fire department has been called and if appropriate use a fire extinguisher to eliminate the fire.
- Spill – Contain the flow of hazardous waste using appropriate PPE and following Emergency spill response.
- Any release of hazardous waste that could threaten human health inside or outside the facility or the spill has reached surface water, immediately notify the National Response Center at 1-800-424-8802.

Site Emergency Response Equipment

In areas where there is hazardous waste generated, the following shall be available:

- Internal communication or alarm system that can be used to communicate the emergency.
- A telephone that can be used to contact emergency assistance from the local police or fire department. This telephone will have the following information posted next to it.
 - The name and telephone number of the emergency coordinator.
 - The location of fire extinguishers and spill control materials
 - The telephone number of the fire department
- Portable fire extinguishers and spill containment equipment
- Water spray system or access to water

Emergency Spill Response

In the event of a chemical or hazardous materials spill, follow the steps below:

- 1) Provide any first aid (if necessary) to affected personnel. Liberally use eyewash station and/or

safety shower to flush affected areas. Flush continuously for AT LEAST 15 minutes. Any exposure merits medical care and a large exposure to the body merits ambulatory service.

- 2) Notify the Chemical Hygiene Officer, or the “administrator in charge,” of the spill. If a spill is larger than 1 liter or extremely hazardous, the Campus Police should be immediately notified. Injured employees shall refer to the District’s procedures for injured employees. Injured students shall be referred to the Student Health Services.
- 3) Evacuate students from the area.
- 4) If spilled materials exhibit flammability, eliminate ignition sources such as hot plates, Bunsen burners, etc.
- 5) Avoid all contact with spilled material. If necessary, use protective gloves, gown, goggles, and/or respirator.
- 6) Obtain supplies from Chemical Spill Clean-Up Kit
 - Located in the following areas for SBVC:
 - Chemistry Stockroom
 - PS-306, the M&O Building
 - The Vocational Tech. Building adjacent to the above ground oil storage tank between aeronautics/auto body shop
 - The Transportation Building, shop floor)
 - Located in the following areas for CHC:
 - Anatomy/Biology, CYN 201, 202, 203 2nd Floor
 - Microbiology, CYN 206, 209 2nd Floor
 - Chemistry, CYN 101, 103, 104 1st Floor
 - Overstock (Chemistry), CYN 217
 - Art, Arts 101
 -
 - Theatre Arts, PAC 101 shop area
 - Maintenance and Operations: M&O 101 grounds service bay and KHA Room 130 dry storage area.
 - Emergency Medical Services (EMS): PSAH-107A
 - Health & Wellness – SSB 101
- 7) Neutralize acids and bases.
- 8) Contain collected materials and label container with name of contents and also as Hazardous Waste.
- 9) Always refer to Safety Data Sheet (SDS) for special precautions or spill cleanup requirements.
- 10) To the best of your ability and without re-entering the building, assist District Police or SBCCD staff in their attempt to determine that everyone has been evacuated safely.
- 11) DO NOT return to a building unless it has been declared safe to do so by District Police or SBCCD Administration.

Safety & Risk Management will contact SBCCD’s Emergency Spill Response/Clean-up Contractor.

The following information should be collected and be made available to spill response agencies and regulators as required.

- (1) Your name, location, organization, and telephone number

- (2) Name and address of the party responsible for the incident
- (3) Date and time of the incident
- (4) Location of the incident
- (5) Source and cause of the release or spill
- (6) Types of material(s) released or spilled
- (7) Quantity of materials released or spilled
- (8) Medium (e.g. land, water) affected by release or spill
- (9) Danger or threat posed by the release or spill
- (10) Number and types of injuries or fatalities (if any)
- (11) Weather conditions at the incident location
- (12) Name of the carrier or vessel, the railcar/truck number, or other identifying information
- (13) Whether an evacuation has occurred
- (14) Other agencies notified or about to be notified.
- (15) Any other information that may help emergency personnel respond to the incident.

REPORTING REQUIREMENTS/REPORTING

Reporting requirements are listed in SBCCD's CUPA Emergency Response Plan and Procedures. Information contained within that Plan is repeated here for reference only.

Incident Report

SBCCD procedure states that all incidents (personal injury, property damage, environmental releases, and near misses) shall be investigated to fully analyze what happened, identify the root cause(s), and specify actions that will prevent similar incidents in the future. The Incident Investigation report should be printed and forwarded to incident location department manager/supervisor and the Vice President of Administrative Services to be kept available for reference.

The procedure requires applicable staff/faculty/employees to:

1. Investigate the incident and complete an Accident/Incident Report (Appendix H) and attach it to the full incident report.
2. Submit the Accident/Incident Report to the incident location department manager/supervisor and the Vice President of Administrative Services for review and signature, within two (2) calendar days.

An Incident Review Meeting will then take place for all recordable injuries and near misses/first aids. The attendees can vary but will typically include a member(s) of the applicable incident location, the employee involved in the injury (if possible), and department manager/supervisor. The meeting will take place to review the Accident/Incident Report. It will be called by the VP of Administrative Services and include the Environmental Health & Safety Administrator.

Local Fire Department

In the event that the SBCCD's Emergency Spill Response/Clean-up contractor is unavailable, the local fire department must be contacted for spill response. The City Fire Department can be contacted by calling 9-1-1.

Office of Emergency Services Warning Center

Hazardous material spills must be reported to the State Office of Emergency Services, California State Warning Center at (800) 852-7550 or (916) 845-8911. A report must be made within 24 hours of a release or threatened

release of toxic materials, which is an immediate threat to public health or safety and environment. The Vice President of Administrative Services and the District Environmental Health & Safety Administrator shall be responsible for reporting to the State Office of Emergency Services.

National Response System Reporting

The National Response Center should be contacted for spills into the navigable waters or environment or for releases that exceed Federal Reportable Quantities (RQ) under CERCLA. The NRC can be reached at (800) 424-8802. See Section 11.9 for the reportable quantity of potential spills at SBCCD. The Vice President of Administrative Services and the District Environmental Health & Safety Administrator shall be

responsible for reporting to the National Response Center following this type of event.

The National Response System (NRS) is the government's mechanism for emergency response to discharges of oil and the release of chemicals into the navigable waters or environment of the United States and its territories. The [National Oil and Hazardous Substances Pollution Contingency Plan](#) set up the National Response Center for the reporting and coordination of response to pollution by oil and hazardous substances.

The National Response Center was charged with receiving reports of discharges of oil and hazardous substances. The NRC disseminates this information to the appropriate federally pre-designated On-Scene Coordinator. The criteria for reporting such incidents were set forth in [40 CFR 110](#) for oil discharges and [40 CFR 116](#) for hazardous substances discharges.

Department of Toxic Substances Control Reporting

For hazardous waste tank releases or secondary containment releases, the local office of DTSC should be contacted. 1-800-618-6942

CAL-OSHA

SBCCD shall report immediately by telephone or facsimile to the nearest District Office of the Division of OSHA (San Bernardino) any serious injury or illness, or death of an employee occurring in a place of employment or in connection with any employment. The San Bernardino Cal-OSHA office can be reached at (909) 383-4321.

Serious Injury means hospitalization for 24 hours or more for more than observation, a loss of any part of the body (any bone loss), or permanent serious disfigurement irrespective of hospitalization. "Immediately" means as soon as practically possible, but no longer than eight (8) hours after the employer knows, or with diligent inquiry would have known of the death or serious injury or illness.

Reportable Quantity

If a hazardous substance is released to the environment in an amount that equals or exceeds its reportable quantity (RQ), the release must be reported to federal authorities so that emergency response personnel can evaluate whether a response action is needed. The Superfund law specifically excludes any release that results in exposure to persons solely within a workplace from the definition of a release and, therefore, the reporting requirements do not apply.

Table 2 below is a list of materials and RQ that may be encountered at SBCCD. Action must be taken when the RQ is exceeded. A complete list of reportable quantities can be found in the Table 1 to Appendix A contained in [49 CFR §172.101](#).

TABLE 2.0 – REPORTABLE QUANTITIES (RQ)

Material	Reportable Quantity
1-Fluoro-2,4-Dinitrobenzene	25 g
2,4-Dinitrophenylhydrazine	50 g
Cadmium Oxide	125 ml
Chloroform-d	100 ml
Chlorosulfonic acid	100 ml
Chromium	4 oz.
Cyclohexane	100 ml
Cyclohexyl bromide	100 ml
Cyclopentyl methyl ether	100 ml
Dibromo-o-cresol Sulphophthalein	5 g
Lead (II) Chloride	20 g
Lead (II) Chromate	50 g
Lead (II) Oxide	50 g
Lead (IV) Oxide	50 g
Mercury (II) Sulfide	100 g
Mercury (II) Nitrate	100 g

Mercury Oxide	100 g
Nickel (II) Chloride	50 g
Silver Sulfate	1 oz
Sulfuric Acid	100 ml
Xylene Cyanol	10 g

Oil Spill Reportable Quantity (Rq)

The Oil Pollution Prevention Regulation in [40 CFR 112](#) regulates the reporting requirement for Petroleum products. An oil spill meets the Reportable Quantity (RQ) when any of the following occurs:

- Is on navigable waters;
- Violates applicable water quality standards;
- Causes a film or "sheen" upon, or discoloration of the surface of the water or adjoining shorelines;
- Causes a sludge or emulsion to be deposited beneath the surface of the water or upon adjoining shorelines.

In addition, an oil spill or discharge of at least one barrel (44 gallons) of oil over a 24-hour period should be considered as a reportable quantity. Refer to SBCCD's Spill Prevention, Control, and Countermeasure (SPCC) Plan for further details.

Written Reports

Office Of Emergency Services

If required, within 30 days of an emergency in which the release exceeds the Reportable Quantity (RQ), SBCCD's VP of Administrative Services shall with the assistance of Safety & Risk Management submit the Office of Emergency Services Form 304. The Form 304 should be prepared promptly and forwarded to the Chemical Emergency Planning and Response Commission (CEPRC) at 3650 Schriever Avenue, Mather, CA 95655. Form 304 is available [here](#):

DTSC

Within 15 days after a spill incident in which the release exceeds the Reportable Quantity (RQ), the Program Administrator shall with the assistance of Safety & Risk Management submit a written report on the incident to the Department of Toxic Substances Control and to the EPA Region IX Administrator.

The report shall include information from the list of items in "Emergency Spill Response".

TRAINING REQUIREMENTS

General

Employees who handle hazardous waste in any capacity must be trained at a level equal with their duties. Training records must be kept for all employees for a minimum of 3 years. SBCCD maintains a database for all employee training records. Records may be reviewed by contacting the District Human Resources Department at (909) 388-6950.

Hazardous Waste Generator Training

Hazardous Waste Generator training is required annually per (22 CCR §66265.16) and applies to anyone who handles, generates, packages, labels hazardous waste. SBCCD conducts Hazardous Waste Generator training annually and the training is coordinated by Safety & Risk Management Department.

Universal Waste Training

Employees are required to be trained in proper universal waste management including handling, packaging, storing and labeling the universal waste, as well as how to respond to releases (22 CCR §66273.36).

The following topics shall be included:

- The hazards associated with the universal waste handled at SBCCD
 - The location of accumulation areas or waste containers
 - The proper procedures for responding to releases of universal waste
 - The labeling and collecting requirements
-

Spill Response Training

Spill Response training is specified in the SBVC and CHC Business Emergency/Contingency Plan (on file with the VP for Administrative Services and the San Bernardino County Fire Marshall – Hazardous Waste Division) and in the SBVC and CHC Chemical Hygiene Plan. SBCCD provides spill response training annually for applicable personnel. Training can be requested for new employees or annual refresher by contacting the Program Administrator or Safety & Risk Management at (909) 388-6935.

Program Evaluation

The SBCCD Hazardous Waste Management Plan will undergo regular review and necessary revisions periodically by the Environmental Health and Safety Administrator in consultation with the Program Administrator.

References

Laws and Regulations on Hazardous Waste Management

State Laws

Hazardous Waste Control Law (HWCL)	Health and Safety Code § 25100-25249
Hazardous Substance Account Act (HSAA)	Health and Safety Code § 25340-25392
Hazardous Waste Treatment Permitting Reform Act (AB 1772)	Health and Safety Code § 25201

Federal Laws

Resource Conservation and Recovery Act (RCRA)	42 USC § 6901-6987
Comprehensive Environmental Response, Compensation and Liability Act (CERCLA) and the Superfund Amendments and Reauthorization Act (SARA)	42 USC § 9601-9675

State Regulations

Identification and Listing of Hazardous Waste	22 CCR §§66261-66261.126
Requirements for Generators, Generally	22 CCR §§66262.10-66262.70
Requirements for Generators, Contingency Plan	22 CCR §§66264.50-66265.56
Requirements for Generators, Personnel Training	22 CCR §66265.16
Requirements for Transporters	22 CCR §66263
Land Disposal Prohibitions	22 CCR §66268

Appendix A: SBVC Site Specific Information

College President

- (909) 384-4477

VP Administrative Services

- (909) 384-8958

Administrative Services

- (909) 384-8965

Safety & Risk Management

- (909) 388-6935

Web Links

- <https://sbccd.org/ehs>

Appendix B: CHC Site Specific Information

College President

- (909) 389-3200

VP Administrative Services

- (909) 389-3210

Administrative Services

- (909) 389-3211

Safety & Risk Management

- (909) 388-6935

Web Links

- <https://sbccd.org/ehs>

Appendix C: Concentration Of Contaminants

TABLE I – MAXIMUM CONCENTRATION OF CONTAMINANTS FOR THE TOXICITY CHARACTERISTIC

EPA HW No. [FN1]	Contaminant	CAS No. [FN2]	Regulatory Level (mg/L)
D004	Arsenic	7440-38-2	5.0
D005	Barium	7440-39-3	100.0
D018	Benzene	71-43-2	0.5
D006	Cadmium	7440-43-9	1.0
D019	Carbon tetrachloride	56-23-5	0.5
D020	Chlordane	57-74-9	0.03
D021	Chlorobenzene	108-90-7	100.0
D022	Chloroform	67-66-3	6.0
D007	Chromium	7440-47-3	5.0
D023	o-Cresol	95-48-7	[Use D026 level]
D024	m-Cresol	108-39-4	[Use D026 level]
D025	p-Cresol	106-44-5	[Use D026 level]
D026	Cresol		200.0
D016	2,4-D	94-75-7	10.0
D027	1,4-Dichlorobenzene	106-46-7	7.5
D028	1,2-Dichloroethane	107-06-2	0.5
D029	1,1-Dichloroethylene	75-35-4	0.7
D030	2,4-Dinitrotoluene	121-14-2	[FN3] 0.13
D012	Endrin	72-20-8	0.02
D031	Heptachlor (and its epoxide)	76-44-8	0.008
D032	Hexachlorobenzene	118-74-1	[FN3] 0.13
D033	Hexachlorobutadiene	87-68-3	0.5
D034	Hexachloroethane	67-72-1	3.0
D008	Lead	7439-92-1	5.0
D013	Lindane	58-89-9	0.4
D009	Mercury	7439-97-6	0.2
D014	Methoxychlor	72-43-5	10.0
D035	Methyl ethyl ketone	78-93-3	200.0
D036	Nitrobenzene	98-95-3	2.0
D037	Pentachlorophenol	87-86-5	100.0
D038	Pyridine	110-86-1	[FN3] 5.0
D010	Selenium	7782-49-2	1.0
D011	Silver	7440-22-4	5.0
D039	Tetrachloroethylene	127-18-4	0.7
D015	Toxaphene	8001-35-2	0.5
D040	Trichloroethylene	79-01-6	0.5
D041	2,4,5-Trichlorophenol	95-95-4	400.0
D042	2,4,6-Trichlorophenol	88-06-2	2.0
D017	2,4,5-TP (Silvex)	93-72-1	1.0
D043	Vinyl chloride	75-01-4	0.2

FN1 Hazardous waste number.

FN2 Chemical abstracts service number.

FN3 Quantitation limit is greater than calculated regulatory level and becomes the regulatory level.

Appendix D: List Of Chemical Names And Common Names For Hazardous Wastes And Hazardous Materials

22 CCR 66261 List of Chemical Names and Common Names for Hazardous Wastes and Hazardous Materials

List of Chemical Names and Common Names for Hazardous Wastes and Hazardous Materials

(a) This subdivision sets forth a list of chemicals which create a presumption that a waste is a hazardous waste. If a waste consists of or contains a chemical listed in this subdivision, the waste is presumed to be a hazardous waste unless it is determined that the waste is not a hazardous waste pursuant to the procedures set forth in section 66262.11. The hazardous characteristics which serve as a basis for listing the chemicals are indicated in the list as follows: (X) toxic, (C) corrosive, (I) ignitable and (R) reactive. A chemical denoted with an asterisk is presumed to be an extremely hazardous waste unless it does not exhibit any of the criteria set forth in section 66261.110 and section 66261.113. Trademark chemical names are indicated by all capital letters.

1. Acetaldehyde (X,I)
1. Acetic acid (X,C,I)
3. Acetone, Propanone (I)
4. Acetone cyanohydrin (X)
5. Acetonitrile (X,I)
6. * 2-Acetylaminofluorene, 2-AAF (X)
7. Acetyl benzoyl peroxide (X,I,R)
8. * Acetyl chloride (X,C,R)
9. Acetyl peroxide (X,I,R)
10. Acridine (X)
11. * Acrolein, Aqualin (X,I)
12. * Acrylonitrile (X,I)
13. * Adiponitrile (X)
14. * Aldrin; 1,2,3,4,10,10-Hexachloro-1,4,4a,5,8,8a-hexahydro-1,4,5,8-endo-exodimethanonaphthalene (X)
15. * Alkyl aluminum chloride (C,I,R)
16. * Alkyl aluminum compounds (C,I,R)
17. Allyl alcohol, 2-Propen-1-ol (X,I)
18. Allyl bromide, 3-Bromopropene (X,I)
19. Allyl chloride, 3-Chloropropene (X,I)
20. Allyl chlorocarbonate, Allyl chloroformate (X,I)

-
21. * Allyl trichlorosilane (X,C,I,R)
 22. Aluminum (powder) (I)
 - 23A. Aluminum chloride (X,C)
 - 23B. * Aluminum chloride (anhydrous) (X,C,R)
 24. Aluminum fluoride (X,C)
 25. Aluminum nitrate (X,I)
 26. * Aluminum phosphide, PHOSTOXIN (X,I,R)
 27. * 4-Aminodiphenyl, 4-ADP (X)
 28. * 2-Aminopyridine (X)
 29. * Ammonium arsenate (X)
 30. * Ammonium bifluoride (X,C)
 31. Ammonium chromate (X,I)
 32. Ammonium dichromate, Ammonium bichromate (X,C,I)
 33. Ammonium fluoride (X,C)
 34. Ammonium hydroxide (X,C)
 35. Ammonium molybdate (X)
 36. Ammonium nitrate (I,R)
 37. Ammonium perchlorate (I,R)
 38. Ammonium permanganate (X,I,R)
 39. Ammonium persulfate (I,R)
 40. Ammonium picrate (I,R)
 41. Ammonium sulfide (X,C,I,R)
 42. n-Amyl acetate, 1-Acetoxypentane (and isomers) (X,I)
 43. n-Amylamine, 1-Aminopentane (and isomers) (X,I)
 44. n-Amyl chloride, 1-Chloropentane (and isomers) (X,I)
 45. n-Amylene, 1-Pentene (and isomers) (X,I)
 46. n-Amyl mercaptan, 1-Pentanethiol (and isomers) (X,I)
 47. n-Amyl nitrite, n-Pentyl nitrite (and isomers) (X,I)
 48. * Amyl trichlorosilane (and isomers) (X,C,R)
 49. Aniline, Aminobenzine (X)
 50. Anisoyl chloride (X,C)
 51. Anthracene (X)
 52. Antimony (X)
 53. Antimony compounds (X)

- 54. * Antimony pentachloride (X,C,R)
- 55. * Antimony pentafluoride (X,C,R)
- 56. Antimony pentasulfide (X,I)
- 57. Antimony potassium tartrate (X)
- 58. Antimony sulfate, Antimony trisulfate (X,I)
- 59. Antimony trichloride, Antimony chloride (X,C)
- 60. Antimony trifluoride, Antimony fluoride (X,C)
- 61. Antimony trioxide, Antimony oxide (X)
- 62. Antimony trisulfide, Antimony sulfide (X,I,R)
- 63. * Arsenic (X)
- 64. * Arsenic acid and salts (X)
- 65. * Arsenic compounds (X)
- 66. * Arsenic pentaselenide (X)
- 67. * Arsenic pentoxide, Arsenic oxide (X)
- 68. * Arsenic sulfide, Arsenic disulfide (X)
- 69. * Arsenic tribromide, Arsenic bromide (X)
- 70. * Arsenic trichloride, Arsenic chloride (X)
- 71. * Arsenic triiodide, Arsenic iodide (X)
- 72. * Arsenic trioxide, Arsenious oxide (X)
- 73. * Arsenious acid and salts (X)
- 74. * Arsines (X)
- 75. Asbestos (including chrysotile, amosite, crocidolite, tremolite, anthophyllite, and actinolite) (X)
- 76. * AZODRIN, 3-Hydroxy-N-cis-crotonamide (X)
- 77. Barium (X,I)
- 78. Barium azide (I,R)
- 79. Barium bromide (X)
- 80. Barium carbonate (X)
- 81. Barium chlorate (X,C,I,R)
- 82. Barium chloride (X)
- 83. Barium chromate (X)
- 84. Barium citrate (X)
- 85. Barium compounds (soluble) (X)
- 86. * Barium cyanide (X)
- 87. Barium fluoride (X)

-
- 88. Barium fluosilicate (X)
 - 89. Barium hydroxide (X)
 - 90. Barium iodide (X)
 - 91. Barium manganate (X)
 - 92. Barium nitrate (X,I)
 - 93. Barium oxide, Barium monoxide (X)
 - 94. Barium perchlorate (X,I,R)
 - 95. Barium permanganate (X,I,R)
 - 96. Barium peroxide (X,I,R)
 - 97. Barium phosphate (X)
 - 98. Barium stearate (X)
 - 99. Barium sulfide (X)
 - 100. Barium sulfite (X)
 - 101. Benzene (X,I)
 - 102. * Benzene hexachloride, BHC; 1,2,3,4,5,6-Hexachlorocyclohexane (X)
 - 103. * Benzenephosphorous dichloride (I,R)
 - 104. Benzenesulfonic acid (X)
 - 105. * Benzidine and salts (X)
 - 106. * Benzotrifluoride, Trifluoromethylbenzene (X,I)
 - 107. * Benzoyl chloride (X,C,R)
 - 108. Benzoyl peroxide, Dibenzoyl peroxide (X,I,R)
 - 109. Benzyl bromide, alpha-Bromotoluene (X,C)
 - 110. Benzyl chloride, alpha-Chlorotoluene (X)
 - 111. * Benzyl chlorocarbonate, Benzyl chloroformate (X,C,R)
 - 112. * Beryllium (X,I)
 - 113. * Beryllium chloride (X)
 - 114. * Beryllium compounds (X)
 - 115. * Beryllium copper (X)
 - 116. * Beryllium fluoride (X)
 - 117. * Beryllium hydride (X,C,I,R)
 - 118. * Beryllium hydroxide (X)
 - 119. * Beryllium oxide (X)
 - 120. * BIDRIN, Dicrotophos, 3-(Dimethylamino)-1-methyl-3-oxo-1-propenyldimethyl phosphate (X)
 - 121. * bis (Chloromethyl) ether, Dichloromethylether, BCME (X)
-

-
- 122. Bismuth (X,I)
 - 123. * bis (Methylmercuric) sulfate, CEREWET, Ceresan liquid (X)
 - 124. Bismuth chromate (X)
 - 125. * BOMYL, Dimethyl 3-hydroxyglutaconate dimethyl phosphate (X)
 - 126. * Boranes (X,I,R)
 - 127. * Bordeaux arsenites (X)
 - 128. * Boron trichloride, Trichloroborane (X,C,R)
 - 129. * Boron trifluoride (X,C,R)
 - 130. Bromic acid (X)
 - 131. * Bromine (X,C,I)
 - 132. * Bromine pentafluoride (X,C,I,R)
 - 133. * Bromine trifluoride (X,C,I,R)
 - 134. * Brucine, Dimethoxystrychnine (X)
 - 135. 1,2,4-Butanetriol trinitrate (R)
 - 136. n-Butyl acetate, 1-Acetoxybutane (and isomers) (X)
 - 137. n-Butyl alcohol, 1-Butanol (and isomers) (X)
 - 138. n-Butyl amine, 1-Aminobutane (and isomers) (X)
 - 139. n-Butyl formate (and isomers) (X)
 - 140. tert-Butyl hydroperoxide (and isomers) (X,I)
 - 141. * n-Butyllithium (and isomers) (X,C,I,R)
 - 142. n-Butyl mercaptan, 1-Butanethiol (and isomers) (X,I)
 - 143. tert-Butyl peroxyacetate, tert-Butyl peracetate (I,R)
 - 144. tert-Butyl peroxybenzoate, tert-Butyl perbenzoate (I,R)
 - 145. tert-Butyl peroxyvalerate (I,R)
 - 146. * n-Butyltrichlorosilane (C,I,R)
 - 147. para-tert-Butyl toluene (X)
 - 148. n-Butyraldehyde, n-Butanal (and isomers) (X,I)
 - 149. * Cacodylic acid, Dimethylarsinic acid (X)
 - 150. * Cadmium (powder) (X,I)
 - 151. Cadmium chloride (X)
 - 152. * Cadmium compounds (X)
 - 153. * Cadmium cyanide (X)
 - 154. Cadmium fluoride (X)
 - 155. Cadmium nitrate (X,I,R)
 - 156. Cadmium oxide (X)
-

-
- 157. Cadmium phosphate (X)
 - 158. Cadmium sulfate (X)
 - 159. * Calcium (I,R)
 - 160. * Calcium arsenate, PENSAL (X)
 - 161. * Calcium arsenite (X)
 - 162. * Calcium carbide (C,I,R)
 - 163. Calcium chlorate (I,R)
 - 164. Calcium chlorite (I)
 - 165. Calcium fluoride (X)
 - 166. * Calcium hydride (C,I,R)
 - 167. Calcium hydroxide, Hydrated lime (C)
 - 168. * Calcium hypochlorite, Calcium oxychloride (dry) (X,C,I,R)
 - 169. Calcium molybdate (X)
 - 170. Calcium nitrate, Lime nitrate, Nitrocalcite (I,R)
 - 171. Calcium oxide, Lime (C)
 - 172. Calcium permanganate (X,I)
 - 173. Calcium peroxide, Calcium dioxide (C,I)
 - 174. * Calcium phosphide (X,I,R)
 - 175. Calcium resinate (I)
 - 176. Caprylyl peroxide, Octyl peroxide (I)
 - 177. * Carbanolate, BANOL, 2-Chloro-4,5-dimethylphenyl methylcarbamate (X)
 - 178. Carbon disulfide, Carbon bisulfide (X,I)
 - 179. Carbon tetrachloride, Tetrachloromethane (X)
 - 180. * Carbophenothion, TRITHION, S[[[(4-Chlorophenyl)thio]methyl] 0,0-diethyl phosphorodithioate (X)
 - 181. Chloral hydrate, Trichloroacetaldehyde (hydrated) (X)
 - 182. * Chlordane; 1,2,4,5,6,7,8,8-Octachloro-4,7-methano-3a,4,7,7a-tetra- hydro- indane; (X)
 - 183. * Chlorfenvinphos, Compound 4072, 2-Chloro-1-(2,4-dichlorophenyl) vinyl diethyl phosphate (X)
 - 184. * Chlorine (X,C,I,R)
 - 185. * Chlorine dioxide (X,C,I,R)
 - 186. * Chlorine pentafluoride (X,C,I,R)
 - 187. * Chlorine trifluoride (X,C,I,R)
 - 188. * Chloroacetaldehyde (X,C)
 - 189. * alpha-Chloroacetophenone, Phenyl chloromethyl ketone (X)
 - 190. * Chloroacetyl chloride (X,C,R)
-

-
- 191. Chlorobenzene (X,I)
 - 192. para-Chlorobenzoyl peroxide (I,R)
 - 193. * ortho-Chlorobenzylidene malonitrile, OCMB (X)
 - 194. Chloroform, Trichloromethane (X)
 - 195. * Chloropicrin, Chlorpicrin, Trichloronitromethane (X)
 - 196. * Chlorosulfonic acid (X,C,I,R)
 - 197. Chloro-ortho-toluidine, 2-Amino-4-chlorotoluene (X)
 - 198. Chromic acid, Chromium trioxide, Chromic anhydride (X,C,I)
 - 199. Chromic chloride, Chromium trichloride (X)
 - 200. Chromic fluoride, Chromium trifluoride (X)
 - 201. Chromic hydroxide, Chromium hydroxide (X)
 - 202. Chromic oxide, Chromium oxide (X)
 - 203. Chromic sulfate, Chromium sulfate (X)
 - 204. Chromium compounds (X,C,I)
 - 205. * Chromyl chloride, Chlorochromic anhydride (X,C,I,R)
 - 206. Cobalt (powder) (X,I)
 - 207. Cobalt compounds (X)
 - 208. Cobaltous bromide, Cobalt bromide (X)
 - 209. Cobaltous chloride, Cobalt chloride (X)
 - 210. Cobaltous nitrate, Cobalt nitrate (X,I)
 - 211. Cobaltous resinate, Cobalt resinate (X,I)
 - 212. Cobaltous sulfate, Cobalt sulfate (X)
 - 213. Cocculus, Fishberry, Picrotoxin (X)
 - 215. * Copper acetoarsenite, Paris green (X)
 - 216. Copper acetylide (I,R)
 - 217. * Copper arsenate, Cupric arsenate (X)
 - 218. * Copper arsenite, Cupric arsenite (X)
 - 219. Copper chloride, Cupric chloride (X)
 - 220. Copper chlorotetrazole (I,R)
 - 221. Copper compounds (X)
 - 222. * Copper cyanide, Cupric cyanide (X)
 - 223. Copper nitrate, Cupric nitrate (X,I,R)
 - 224. Copper sulfate, Cupric sulfate, Blue vitriol (X)
 - 225. * Coroxon; ortho,ortho-Diethyl-ortho-(3-chloro-4-methylcoumarin-7-yl) phosphate (X)
 - 226. * Coumafuryl, FUMARIN, 3-[1-(2-Furanyl)-3-oxobutyl] 1-4-hydroxy-2H-1-benzopyran-2-one (X)
-



-
227. * Coumatetralyl, BAYER 25634, RACUMIN 57, 4-Hydroxy-3-(1,2,3,4-tetrahydro-1-naphthalenyl)-2H-1-benzopyran-2-one (X)
228. * Crimidine, CASTRIX, 2-Chloro-4-dimethylamino-6-methylpyrimidine (X)
229. * Crotonaldehyde, 2-Butenal (X)
230. Cumene, Isopropyl benzene (X,I)
231. Cumene hydroperoxide; alpha,alpha-Dimethylbenzyl hydroperoxide (X,I)
232. Cupriethylene diamine (X)
233. * Cyanide salts (X)
234. Cyanoacetic acid, Malonic nitrile (X)
235. * Cyanogen (X,I,R)
236. Cyanogen bromide, Bromine cyanide (X)
237. Cyanuric triazide (I,R)
238. Cycloheptane (X,I)
239. Cyclohexane (X,I)
240. Cyclohexanone peroxide (I)
241. * Cyclohexenyltrichlorosilane (X,C,R)
242. * Cycloheximide, ACTIDIONE (X)
243. * Cyclohexyltrichlorosilane (X,C,R)
244. Cyclopentane (X,I)
245. Cyclopentanol (I)
246. Cyclopentene (X,I)
247. DDT; 1,1,1-Trichloro-2,2-bis(chlorophenyl) ethane (X)
248. * DDVP, Dichlorvos, VAPONA, Dimethyl dichlorovinyl phosphate (X)
249. * Decaborane (X,I,R)
250. DECALIN, Decahydronaphthalene (X)
251. * Demeton, SYSTOX (X)
252. * Demeton-S-methyl sulfone, METAISOSYSTOX-SULFON, S-[2-(ethyl-sulfonyl)ethyl] O,O-dimethyl phosphorothioate (X)
253. Diazodinitrophenol, DDNP, 2-Diazo-4,6-dinitrobenzene-1-oxide (I,R)
254. * Diborane, Diboron hexahydride (I,R)
255. * 1,2-Dibromo-3-chloropropane, DBCP, Fumazone, nemagon (X)
256. n-Dibutyl ether, Butyl ether (and isomers) (X,I)
257. Dichlorobenzene (ortho, meta, para) (X)
258. * 3,3-Dichlorobenzidine and salts, DCB (X)
259. 1,2-Dichloroethylene; 1,2-Dichloroethene (X,I)
260. Dichloroethyl ether, Dichloroether (X,I)
-

261.	Dichloroisocyanuric acid, Dichloro-S-triazine-2,4,6-trione (X,I)
262.	Dichloromethane, Methylene chloride (X)
263.	* 2,4-Dichlorophenoxyacetic acid; 2,4-D (X)
264.	1,2-Dichloropropane, Propylene dichloride (X,I)
265.	1,3-Dichloropropylene; 1,3-Dichloropropene (X,I)
266.	Dicumyl peroxide (I,X)
267.	* Dieldrin; 1,2,3,4,10,10-Hexachloro-6,7-epoxy-1,4,4a,5,6,7,8,8a-octahydro-1,4-endo,exo-5,8-dimethanona-phthalene (X)
268.	* Diethylaluminum chloride, Aluminum diethyl monochloride, DEAC (I,R)
269.	Diethylamine (X,I)
270.	* Diethyl chlorovinyl phosphate, Compound 1836 (X)
271.	* Diethyldichlorosilane (X,C,I,R)
272.	Diethylene glycol dinitrate (I,R)
273.	Diethylene triamine (X)
274.	* O,O-Diethyl-S-(isopropylthiomethyl) phosphorodithioate (X)
275.	* Diethylzinc, Zinc ethyl (C,I,R)
276.	* Difluorophosphoric acid (X,C,R)
277.	* Diglycidyl ether, bis(2,3-Epoxypropyl) ether (X)
278.	Diisopropylbenzene hydroperoxide (X,I)
279.	Diisopropyl peroxydicarbonate, Isopropyl percarbonate (X,C,I,R)
280.	* Dimefox, Hanane, Pextox 14, Tetramethylphosphorodiamidic fluoride (X)
281.	Dimethylamine, DMA (X,I)
282.	* Dimethylaminoazobenzene, Methyl yellow (X)
283.	* Dimethyldichlorosilane, Dichlorodimethylsilane (X,C,I,R)
284.	2,5-Dimethylhexane-2,5-Dihydroperoxide (I)
285.	* 1,1-Dimethylhydrazine, UDMH (X,I)
286.	* Dimethyl sulfate, Methyl sulfate (X)
287.	* Dimethyl sulfide, Methyl sulfide (X,I,R)
288.	2,4-Dinitroaniline (X)
289.	* Dinitrobenzene (ortho, meta, para) (I,R)
290.	Dinitrochlorobenzene, 1-Chloro-2,4-dinitrobenzene (I,R)
291.	* 4,6-Dinitro-ortho-cresol, DNPC, SINOX, E
292.	* Dinitrophenol(2,3-;2,4-;2,6-isomers) (I,R)
293.	2,4-Dinitrophenylhydrazine (X,I,R)
294.	Dinitrotoluene (2,4-;3,4-;3,5-isomers) (X,I,R)

-
295. * DINOSEB; 2,4-Dinitro-6-sec-butylphenol (X)
296. 1,4-Dioxane; 1,4-Diethylene dioxide (X,I,R)
297. * Dioxathion, DELNAV; S,S-1,4-dioxane-2,3-diyl bis(O,O-diethyl phosphorodithioate) (X)
298. Dipentaerythritol hexanitrate (R)
299. * Diphenyl, Biphenyl, Phenylbenzene (X)
300. Diphenylamine, DPA, N-Phenylaniline (X)
301. * Diphenylamine chloroarsine, Phenarsazine chloride (X)
302. * Diphenyldichlorosilane (X,C,R)
303. Dipicrylamine, Hexanitrodiphenyl amine (I,R)
304. Dipropyl ether (X,I)
305. * Disulfoton, DI-SYSTON; O,O-Diethyl S-[2-(ethylthio) ethyl] phosphorodithioate (X)
306. * Dodecyltrichlorosilane (X,C,R)
307. * DOWCO-139, ZECTRAM, Mexacarbate, 4-(Dimethylamino)-3,5-dimethylphenyl methylcarbamate (X)
309. * DYFONATE, Fonofos, O-Ethyl-S-phenylethyl phosphonodithioate (X)
310. * Endosulfan, THIODAN; 6,7,8,9,10,10-Hexachlor-1,5,5a,6,9,9a-hexa-hydro-6,9-methano-2,4,3-benzodioxathiepin-3-oxide (X)
311. * Endothal, 7-Oxabicyclo[2.2.1]heptane-2,3-dicarboxylic acid (X)
312. * Endothion, EXOTHION, S-[(5-Mythoxy-4-oxo-4H-pyran-2-yl)-methyl]O,O-dimethyl phosphorothioate (X)
313. * Endrin; 1,2,3,4,10,10-Hexachloro-6,7-epoxy-1,4,4,4a,5,6,7,8,8a-octahydro-1,4-endo-endo-5,8-dimethanonaphthalene (X)
314. Epichlorohydrin, Chloropropylene oxide (X,I)
315. * EPN; O-Ethyl O-para-nitrophenyl phenylphosphonothioate (X)
316. * Ethion, NIALATE; O,O,O',O' -Tetraethyl-S,S-methylenediphos-phorodithioate (X)
317. Ethyl acetate (X,I)
318. Ethyl alcohol, Ethanol (X,I)
319. Ethylamine, Aminoethane (X,I)
320. Ethylbenzene, Phenylethane (X,I)
321. Ethyl butyrate, Ethyl butanoate (I)
322. Ethyl chloride, Chloroethane (X,I)
323. * Ethyl chloroformate, Ethyl chlorocarbonate (X,C,I,R)
324. * Ethyldichloroarsine, Dichloroethylarsine (I,R)
325. * Ethyldichlorosilane (X,C,I,R)
326. * Ethylene cyanohydrin, beta-Hydroxypropionitrile (I,R)
327. Ethylene diamine (X)
-

-
- 328. Ethylene dibromide; 1,2-Dibromoethane (X)
 - 329. Ethylene dichloride; 1,2-Dichloroethane (X,I)
 - 330. * Ethyleneimine, Aziridine, EI (X,I,R)
 - 331. Ethylene oxide, Epoxyethane (X,I,R)
 - 332. Ethyl ether, Diethyl ether (I,R)
 - 333. Ethyl formate (X,I)
 - 334. * Ethyl mercaptan, Ethanethiol (X,I,R)
 - 335. Ethyl nitrate (I,R)
 - 336. Ethyl nitrite (I,R)
 - 337. * Ethylphenyldichlorosilane (X,C,R)
 - 338. Ethyl propionate (I)
 - 339. * Ethyltrichlorosilane (I,R)
 - 340. * Fensulfothion, BAYER 25141, DASANIT, O,O-Diethyl-0-[4-(methyl--sulfinyl)phenyl] phosphorothioate (X)
 - 341. * Ferric arsenate (X)
 - 342. Ferric chloride, Iron (III) chloride (X,C)
 - 343. * Ferrous arsenate, Iron arsenate (X)
 - 344. * Fluoboric acid, Fluoroboric acid (X,C)
 - 345. Fluoride salts (X)
 - 346. * Fluorine (X,C,R)
 - 347. * Fluoroacetanilide, AFL 1082 (X)
 - 348. * Fluoroacetic acid and salts, Compound 1080 (X)
 - 349. * Fluorosulfonic acid, Fluosulfonic acid (X,C,R)
 - 350. Formaldehyde, Methanal (X,I)
 - 351. Formic acid, Methanoic acid (X,C)
 - 352. Fulminate of mercury, Mercuric cyanate (I,R)
 - 353. * FURADAN, NIA 10,242, Carbofuran; 2,3-Dihydro-2,2- dimethyl-7-benzofuranylmethylcarbamate (X)
 - 354. Furan, Furfuran (X,I,R)
 - 355. Gasoline (I)
 - 356. * GB, O-Isopropyl methyl phosphoryl fluoride (X)
 - 357. Glutaraldehyde (X)
 - 358. Glycerolmonolactate trinitrate (R)
 - 359. Glycol dinitrate, Ethylene glycol dinitrate (R)
 - 360. Gold fulminate, Gold cyanate (R)
-

-
- 361. Guanidine nitrate (I,R)
 - 362. Guanyl nitrosaminoguanylidene hydrazine (R)
 - 363. * Guthion; O,O-Dimethyl-S-4-oxo-1,2,3- benzotriazin-3(4H)-ylmethyl phosphorodithioate (X)
 - 364. Hafnium (I,X,R)
 - 365. * Heptachlor; 1,4,5,6,7,8,8-Heptachloro-3a,4,7,7a-tetrahydro-4,7-methanoindene (X)
 - 366. n-Heptane (and isomers) (X,I)
 - 367. 1-Heptene (and isomers) (X,I)
 - 368. * Hexadecyltrichlorosilane (X,C,R)
 - 369. Hexaethyl tetraphosphate, HETP (X)
 - 370. Hexafluorophosphoric acid (X,C)
 - 371. Hexamethylenediamine; 1,6-Diaminohexane (X)
 - 372. n-Hexane (and isomers) (X,I)
 - 373. 1-Hexene (and isomers) (X,I)
 - 374. n-Hexylamine, 1-Aminohexane (and isomers) (X,I)
 - 375. * Hexyltrichlorosilane (X,C,R)
 - 376. * Hydrazine, Diamine (X,I)
 - 377. Hydrazine azide (I,R)
 - 378. Hydrazoic acid, Hydrogen azide (I,R)
 - 379. * Hydriodic acid, Hydrogen iodide (X,C,R)
 - 380. * Hydrobromic acid, Hydrogen bromide (X,C,R)
 - 381. * Hydrochloric acid, Hydrogen chloride, Muriatic Acid (X,C,R)
 - 382. * Hydrocyanic acid, Hydrogen cyanide (X,I,R)
 - 383. * Hydrofluoric acid, Hydrogen fluoride (X,C,R)
 - 384. Hydrofluosilicic acid, Fluosilicic acid (X,C)
 - 385. Hydrogen peroxide (X,C,I,R)
 - 386. * Hydrogen selenide (X,I)
 - 387. * Hydrogen sulfide (X,I)
 - 388. * Hypochlorite compounds (X,C,I,R)
 - 389. Indium (X)
 - 390. Indium compounds (X)
 - 391. Iodine monochloride (X,C,R)
 - 392. Isooctane; 2,2,4-Trimethylpentane (X,I)
 - 393. Isooctene (mixture of isomers) (I)
 - 394. Isopentane, 2-Methylbutane (I)
-

-
- 395. Isoprene, 2-Methyl-1,3-butadiene (X,I,R)
 - 396. Isopropanol, Isopropyl alcohol, 2-Propanol (X,I)
 - 397. Isopropyl acetate (X,I)
 - 399. Isopropylamine, 2-Aminopropane (X,I)
 - 400. Isopropyl chloride, 2-Chloropropane (I)
 - 401. Isopropyl ether, Diisopropyl ether (I,R)
 - 402. Isopropyl mercaptan, 2-Propanethiol (X,I)
 - 404. * meta-Isopropylphenyl-N-methylcarbamate, Ac 5,727 (X)
 - 405A. * Kepone; 1,1a,3,3a,4,5,5,5a,5b,6-Decachloro--octahydro-1,2,4-metheno-2H-cyclobuta (cd) pentalen-2-one, Chlorecone (X)
 - 405B. Lauroyl peroxide, Di-n-dodecyl peroxide (X,C,I,R)
 - 406. Lead compounds (X)
 - 407. Lead acetate (X)
 - 408. * Lead arsenate, Lead orthoarsenate (X)
 - 409. * Lead arsenite (X)
 - 410. Lead azide (I,R)
 - 411. Lead carbonate (X)
 - 412. Lead chlorite (I,R)
 - 413. * Lead cyanide (X)
 - 414. Lead 2,4-dinitroresorcinate (I,R)
 - 415. Lead mononitroresorcinate (I,R)
 - 416. Lead nitrate (X,I)
 - 417. Lead oxide (X)
 - 418. Lead styphnate, Lead trinitroresorcinate (I,R)
 - 419. * Lewisite, beta-Chlorovinylchloroarsine (X)
 - 420. * Lithium (C,I,R)
 - 421. * Lithium aluminum hydride, LAH (C,I,R)
 - 422. * Lithium amide (C,I,R)
 - 423. * Lithium ferrosilicon (I,R)
 - 424. * Lithium hydride (C,I,R)
 - 425. * Lithium hypochlorite (X,C,I,R)
 - 426. Lithium peroxide (C,I,R)
 - 427. Lithium silicon (I,R)
 - 428. * London purple, Mixture of arsenic trioxide, aniline, lime, and ferrous oxide (X)
 - 429. * Magnesium (I,R)
-

-
- 430. * Magnesium arsenate (X)
 - 431. * Magnesium arsenite (X)
 - 432. Magnesium chlorate (I,R)
 - 433. Magnesium nitrate (I,R)
 - 434. Magnesium perchlorate (X,I,R)
 - 435. Magnesium peroxide, Magnesium dioxide (I)
 - 436. * Maleic anhydride (X)
 - 437. Manganese (powder) (I)
 - 438. Manganese acetate (X)
 - 439. * Manganese arsenate, Manganous arsenate (X)
 - 440. Manganese bromide, Manganous bromide (X)
 - 441. Manganese chloride, Manganous chloride (X)
 - 442. Manganese methylcyclopentadienyl tricarbonyl (X)
 - 443. Manganese nitrate, Manganous nitrate (X,I)
 - 444. Mannitol hexanitrate, Nitromannite (R)
 - 445. *MECARBAM; O,O-Diethyl S-(N-ethoxycarbonyl N-methylcarbamoyl-methyl) phosphorodithioate (X)
 - 446. * Medinoterb acetate, 2-tert-Butyl- 5- methyl-4,6-dinitro-phenyl acetate (X)
 - 447. para-Menthane hydroperoxide, Paramenthane hydroperoxide (I)
 - 448. Mercuric acetate, Mercury acetate (X)
 - 449. Mercuric ammonium chloride, Mercury ammonium chloride (X)
 - 450. Mercuric benzoate, Mercury benzoate (X)
 - 451. Mercuric bromide, Mercury bromide (X)
 - 452. * Mercuric chloride, Mercury chloride (X)
 - 453. * Mercuric cyanide, Mercury cyanide (X)
 - 454. Mercuric iodide, Mercury iodide (X)
 - 455. Mercuric nitrate, Mercury nitrate (X,I)
 - 456. Mercuric oleate, Mercury oleate (X)
 - 457. Mercuric oxide (red and yellow) (X,I)
 - 458. Mercuric oxycyanide (I,R)
 - 459. Mercuric-potassium iodide, Mayer's reagent (X)
 - 460. Mercuric salicylate, Salicylated mercury (X)
 - 461. Mercuric subsulfate, Mercuric dioxysulfate (X)
 - 462. Mercuric sulfate, Mercury sulfate (X)
 - 463. Mercuric thiocyanide, Mercury thiocyanate (X)
-

-
- 464. Mercuriol, Mercury nucleate (X)
 - 465. Mercurous bromide (X)
 - 466. Mercurous gluconate (X)
 - 467. Mercurous iodide (X)
 - 468. Mercurous nitrate (I,R)
 - 469. Mercurous oxide (X)
 - 470. Mercurous sulfate, Mercury bisulfate (X)
 - 472. * Mercury (X)
 - 473. * Mercury compounds (X)
 - 474. Metal carbonyls (X)
 - 475. * Metal hydrides (I,R)
 - 476. Metal powders (X,I)
 - 477A. * Methomyl, LANNATE, S-Methyl-N-((methyl-carbamoyl)oxy) thioacetimidate (X)
 - 477B. * Methoxychlor; 1,1,1-Trichloro-2,-bis(p-methoxyphenyl) ethane, CHEMFLOM, MARLATE (X)
 - 478. * Methoxyethylmercuric chloride, AGALLOL, ARETAN (X)
 - 479. Methyl acetate (X,I)
 - 480. Methyl acetone (Mixture of acetone, methyl acetate, and methyl alcohol) (X,I)
 - 481. Methyl alcohol, Methanol (X,I)
 - 482. * Methylaluminum sesquibromide (I,R)
 - 483. * Methylaluminum sesquichloride (I,R)
 - 484. Methylamine, Aminomethane (X,I)
 - 485. n-Methylaniline (X)
 - 486. * Methyl bromide, Bromomethane (X)
 - 487. 2-Methyl-1-butene (I)
 - 488. 3-Methyl-1-butene (I)
 - 489. Methyl butyl ether (and isomers) (X,I)
 - 490. Methyl butyrate (and isomers) (X,I)
 - 491. Methyl chloride, Chloromethane (X,I)
 - 492. * Methyl chloroformate, Methyl chlorocarbonate (X,I,R)
 - 493. * Methyl chloromethyl ether, CMME (X,I)
 - 494. Methylcyclohexane (X,I)
 - 495. * Methylchloroarsine (X)
 - 496. * Methylchlorosilane (X,I,R)
 - 497. * 4,4-Methylene bis(2-chloroaniline), MOCA (X)

-
- 498. Methyl ethyl ether (X,I)
 - 499. Methyl ethyl ketone, 2-Butanone (X,I)
 - 500. Methyl ethyl ketone peroxide (X,I)
 - 501. Methyl formate (X,I)
 - 502. * Methyl hydrazine, Monomethyl hydrazine, MMH (X,I)
 - 503. * Methyl isocyanate (X,I)
 - 504. Methyl isopropenyl ketone, 3-Methyl-3-butene-2-one (X,I)
 - 505. * Methylmagnesium bromide (C,I,R)
 - 506. * Methylmagnesium chloride (C,I,R)
 - 507. * Methylmagnesium iodide (C,I,R)
 - 508. Methyl mercaptan, Methanethiol (X,I)
 - 509. Methyl methacrylate (monomer) (X,I)
 - 510. * Methyl parathion; O,O-Dimethyl-O-para-nitrophenyl-phosphorothioate (X)
 - 511. Methyl propionate (I)
 - 512. * Methyltrichlorosilane (X,C,I,R)
 - 513. Methyl valerate, Methyl pentanoate (and isomers) (I)
 - 514. Methyl vinyl ketone, 3-Butene-2-one (X,I)
 - 515A. * Mevinphos, PHOSDRIN, 2-Carbomethoxy-1-methylvinyl dimethylphosphate (X)
 - 515B. * Mirex; 1,1a,2,2,3,3a,4,5,5,5a,5b,6-Dodecachlorooctahydro- 1,3,4-metheno-1H-cyclobuta (cd) pentalene, Dechlorane (X)
 - 516. * MOCAP, O-Ethyl-S,S-dipropyl phosphorodithioate (X)
 - 517. Molybdenum (powder) (I)
 - 518. Molybdenum trioxide, Molybdenum anhydride (X)
 - 519. Molybdic acid and salts (X)
 - 520. Monochloroacetic acid, Chloroacetic acid, MCA (X,C)
 - 521. Monochloroacetone, Chloroacetone, 1-Chloro-2-propanone (X)
 - 522. Monofluorophosphoric acid (X,C)
 - 523. Naphtha (of petroleum or coal tar origin), Petroleum ether, Petroleum naphtha (X,I)
 - 524. Naphthalene (X)
 - 525. * alpha-Naphthylamine, 1-NA (X)
 - 526. * beta-Naphthylamine, 2-NA (X)
 - 527. Neohexane; 2,2-Dimethylbutane (X,I)
 - 528. Nickel (powder) (X,I)
 - 529. Nickel acetate (X)
-

-
530. Nickel antimonide (X)
531. * Nickel arsenate, Nickelous arsenate (X)
532. * Nickel carbonyl, Nickel tetracarbonyl (X)
533. Nickel chloride, Nickelous chloride (X)
534. * Nickel cyanide (X)
535. Nickel nitrate, Nickelous nitrate (X,I,R)
536. Nickel selenide (X)
537. Nickel sulfate (X)
538. Nicotine, beta-pyridyl-alpha-N-methyl pyrrolidine (X)
539. Nicotine salts (X)
540. Nitric acid (X,C,I)
541. Nitroaniline, Nitraniline (ortho, meta, para) (I,R)
542. * Nitrobenzol, Nitrobenzene (X)
543. * 4-Nitrobiphenyl, 4-NBP (X)
544. Nitro carbo nitrate (I,R)
545. Nitrocellulose, Cellulose nitrate, Guncotton, Pyroxylin, Collodion, Pyroxylin (nitrocellulose) in ether and alcohol (I,R)
546. Nitrochlorobenzene, Chloronitrobenzene (ortho,meta,para) (X)
547. Nitrogen mustard (X,C)
548. Nitrogen tetroxide, Nitrogen dioxide (X,I)
549. Nitroglycerin, Trinitroglycerin (X,I,R)
550. Nitrohydrochloric acid, Aqua regia (X,C,I)
551. * Nitrophenol (ortho, meta, para) (X)
552. * N-Nitrosodimethylamine, Dimethyl nitrosoamine (X)
553. Nitrosoguanidine (R)
554. Nitrostarch, Starch nitrate (I,R)
555. Nitroxylo, Nitroxylyene, Dimethylnitrobenzene (2,4-;3,4-; 2,5-isomers) (X)
556. 1-Nonene, 1-Nonylene (and isomers) (X,I)
557. * Nonyltrichlorosilane (I,R)
558. * Octadecyltrichlorosilane (I,R)
559. n-Octane (and isomers) (X,I)
560. 1-Octene, 1-Caprylene (X,I)
561. * Octyltrichlorosilane (I,R)
563. * Oleum, Fuming sulfuric acid (X,C,R)
-

-
- 565. Osmium compounds (X)
 - 566. Oxalic acid (X)
 - 567. * Oxygen difluoride (X,C,R)
 - 568. * Para-oxon, MINTACOL; O,O-Diethyl-O-para-nitrophenyl phosphate (X)
 - 569. * Parathion; O,O-Diethyl-O-para-nitrophenyl phosphorothioate (X)
 - 570A. * Pentaborane (X,I,R)
 - 570B. Pentachlorophenol, PCP, DOWICIDE 7 (X)
 - 571. Pentaerythrite tetranitrate, Pentaerythritol tetranitrate (R)
 - 572. n-Pentane (and isomers) (X,I)
 - 573. 2-Pentanone, Methyl propyl ketone (and isomers) (X,I)
 - 574. Peracetic acid, Peroxyacetic acid (X,C,I,R)
 - 575. Perchloric acid (X,C,I,R)
 - 576. Perchloroethylene, Tetrachloroethylene (X)
 - 577. * Perchloromethyl mercaptan, Trichloromethylsulfenyl chloride (X)
 - 578. Perchloryl fluoride (X,C,I)
 - 580. Phenol, Carboic acid (X,C)
 - 581. * Phenylchloroarsine (X)
 - 582. Phenylenediamine, Diaminobenzene (ortho,meta,para) (X)
 - 583. Phenylhydrazine hydrochloride (X)
 - 584. * Phenylphenol, Orthozenol, DOWICIDE I (X)
 - 585. * Phenyltrichlorosilane (I,R)
 - 586. * Phorate, THIMET; O,O-Diethyl-S-[(Ethylthio)methyl]phosphorodithioate (X)
 - 587. * Phosfolan, CYOLAN, 2-(Diethoxyphosphinylimino)-1,3-dithiolane (X)
 - 588. * Phosgene, Carbonyl chloride (I,R)
 - 589. * Phosphamidon, DIMECRON, 2-Chloro-2-diethyl--carbamoyl-1-methylvinyl dimethyl phosphate (X)
 - 590. * Phosphine, Hydrogen phosphide (X,I)
 - 591. Phosphoric acid (C)
 - 592. Phosphoric anhydride, Phosphorus pentoxide (C,I)
 - 593. Phosphorus (amorphous, red) (X,I,R)
 - 594. * Phosphorus (white or yellow) (X,I,R)
 - 595. * Phosphorus oxybromide, Phosphoryl bromide (X,C,R)
 - 596. * Phosphorus oxychloride, Phosphoryl chloride (X,C,R)
 - 597. * Phosphorus pentachloride, Phosphoric chloride (X,C,I,R)
 - 598. * Phosphorus pentasulfide, Phosphoric sulfide (X,C,I,R)
-

-
- 599. * Phosphorus sesquisulfide, tetraphosphorus trisulfide (X,C,I,R)
 - 600. * Phosphorus tribromide (X,C,R)
 - 601. * Phosphorus trichloride (X,C,R)
 - 602. Picramide, Trinitroaniline (I,R)
 - 603. Picric acid, Trinitrophenol (I,R)
 - 604. Picryl chloride, 2-Chloro-1,3,5-trinitrobenzene (I,R)
 - 605. * Platinum compounds (X)
 - 606. * Polychlorinated biphenyls, PCB, Askarel, aroclor, chlorextol, inerteen, pyranol (X)
 - 607. Polyvinyl nitrate (I,R)
 - 608. Potasan; O,O-Diethyl-0-(4-methylumbelliferone) phosphoro-thioate (X)
 - 609. * Potassium (C,I,R)
 - 610. * Potassium arsenate (X)
 - 611. * Potassium arsenite (X)
 - 612. * Potassium bifluoride, Potassium acid fluoride (X,C)
 - 613. Potassium binoxalate, Potassium acid oxalate (X)
 - 614. Potassium bromate (X,I)
 - 615. * Potassium cyanide (X)
 - 616. Potassium dichloroisocyanurate (X,I)
 - 617. Potassium dichromate, Potassium bichromate (X,C,I)
 - 619. Potassium fluoride (X)
 - 620. * Potassium hydride (C,I,R)
 - 621. Potassium hydroxide, Caustic potash (X,C)
 - 622. Potassium nitrate, Saltpeter (I,R)
 - 623. Potassium nitrite (I,R)
 - 624. Potassium oxalate (X)
 - 625. Potassium perchlorate (X,I,R)
 - 626. Potassium permanganate (X,C,I)
 - 627. Potassium peroxide (C,I,R)
 - 628. Potassium sulfide (X,I)
 - 629. * Propargyl bromide, 3-Bromo-1-propyne (X,I)
 - 630. * beta-Propiolactone, BPL (X)
 - 631. Propionaldehyde, Propanal (X,I)
 - 632. Propionic acid, Propanoic acid (X,C,I)
 - 633. n-Propyl acetate (X,I)
-

-
- 634. n-Propyl alcohol, 1-Propanol (X,I)
 - 635. n-Propylamine (and isomers) (X,I)
 - 636. * Propyleneimine, 2-Methylaziridine (X,I)
 - 637. Propylene oxide (X,I)
 - 638. n-Propyl formate (X,I)
 - 639. n-Propyl mercaptan, 1-Propanethiol (X,I)
 - 640. * n-Propyltrichlorosilane (X,C,I,R)
 - 641. * Prothoate, FOSTION, FAC; O,O-Diethyl-S-carboethoxy--ethyl phosphorodithioate (X)
 - 642. Pyridine (X,I)
 - 643. * Pyrosulfuryl chloride, Disulfuryl chloride (X,C,R)
 - 644. * Quinone; 1,4-Benzoquinone (X)
 - 645. Raney nickel (I)
 - 646. * Schradan, Octamethyl pyrophosphoramidate, OMPA (X)
 - 647A. * Selenium (X)
 - 647B. * Selenium compounds (X)
 - 648. * Selenium fluoride (X)
 - 649. * Selenous acid, Selenious acid and salts (X)
 - 650. * Silicon tetrachloride, Silicon chloride (X,C,R)
 - 651. * Silver acetylide (I,R)
 - 652. Silver azide (I,R)
 - 653. Silver compounds (X)
 - 654. Silver nitrate (X)
 - 655. Silver styphnate, Silver trinitroresorcinate (I,R)
 - 656. Silver tetrazene (I,R)
 - 657. * Sodium (C,I,R)
 - 658. Sodium aluminate (C)
 - 659. * Sodium aluminum hydride (C,I,R)
 - 660. * Sodium amide, Sodamide (C,I,R)
 - 661. * Sodium arsenate (X)
 - 662. * Sodium arsenite (X)
 - 663. Sodium azide (I,R)
 - 664. * Sodium bifluoride, Sodium acid fluoride (X,C)
 - 665. Sodium bromate (X,I)
 - 666. * Sodium cacodylate, Sodium dimethylarsenate (X)
-

-
- 667. Sodium carbonate peroxide (I)
 - 668. Sodium chlorate (X,I)
 - 669. Sodium chlorite (X,I)
 - 670. Sodium chromate (X,C)
 - 671. * Sodium cyanide (X)
 - 672. Sodium dichloroisocyanurate (I)
 - 673. Sodium dichromate, Sodium bichromate (X,C,I)
 - 674. Sodium fluoride (X)
 - 675. * Sodium hydride (X,C,I,R)
 - 676. Sodium hydrosulfite, Sodium hyposulfite (I)
 - 677. Sodium hydroxide, Caustic soda, Lye (X,C)
 - 678. * Sodium hypochlorite (X,I,R)
 - 679. * Sodium methylate, Sodium methoxide (C,I,R)
 - 680. Sodium molybdate (X)
 - 681. Sodium nitrate, Soda niter (X,I,R)
 - 682. Sodium nitrite (X,I,R)
 - 683. Sodium oxide, Sodium monoxide (X,C)
 - 684. Sodium perchlorate (X,I,R)
 - 685. Sodium permanganate (X,I)
 - 686. * Sodium peroxide (X,I,R)
 - 687. Sodium picramate (X,I,R)
 - 688. * Sodium potassium alloy, NaK, Nack (C,I,R)
 - 689. * Sodium selenate (X)
 - 690. Sodium sulfide, Sodium hydrosulfide (X,I)
 - 691. Sodium thiocyanate, Sodium sulfocyanate (X)
 - 692. Stannic chloride, Tin tetrachloride (X,C)
 - 693. * Strontium arsenate (X)
 - 694. Strontium nitrate (X,I,R)
 - 695. Strontium peroxide, Strontium dioxide (I,R)
 - 696. * Strychnine and salts (X)
 - 697. Styrene, Vinylbenzene (X,I)
 - 698. Succinic acid peroxide (X,I)
 - 699. Sulfide salts (soluble) (X)
 - 700. * Sulfotepp, DITHIONE, BLACAFUM, Tetraethyldithio--pyrophosphate, TEDP (X)
 - 701. * Sulfur chloride, Sulfur monochloride (X,C,R)
-

-
- 702. * Sulfur mustard (X,C,R)
 - 703. * Sulfur pentafluoride (X,C)
 - 704. Sulfur trioxide, Sulfuric anhydride (X,C,I)
 - 705. Sulfuric acid, Oil of vitriol, Battery acid (X,C)
 - 706. Sulfurous acid (X,C)
 - 707. * Sulfuryl chloride, Sulfonyl chloride (X,C,R)
 - 708. * Sulfuryl fluoride, Sulfonyl fluoride (X,C,R)
 - 709. * SUPRACIDE, ULTRACIDE, S-[(5-Methoxy-2-oxo-1,3,4-thiadiazol-2-yl)methyl]-O,O-dimethyl phosphorodithioate (X)
 - 710. * SURECIDE, Cyanophenphos, O-para-Cyanophenyl-O-ethyl phenyl phosphonothioate (X)
 - 711. * Tellurium hexafluoride (X,C)
 - 712. * TELODRIN, Isobenzan; 1,3,4,5,6,7,8,8- Octachloro-1, 3,3a,4,7, 7a-hexahydro-4, 7-methanoisobenzofuran (X)
 - 713. * TEMIK, Aldicarb, 2-Methyl-2(methylthio) propionaldehyde-O-(methylcarbamoyl) oxime (X)
 - 714. * 2,3,7,8-Tetrachlorodibenzo-para-dioxin, TCDD, Dioxin (X)
 - 715. sym-Tetrachloroethane (X)
 - 717. * Tetraethyl lead, TEL (and other organic lead) (X,I)
 - 718. * Tetraethyl pyrophosphate, TEPP (X)
 - 719A. Tetrahydrofuran, THF (X,I)
 - 719B. Tetrahydrophthalic anhydride, Memtetrahydrophthalic anhydride (X)
 - 720. TETRALIN, Tetrahydronaphthalene (X)
 - 721. Tetramethyl lead, TML (X,I)
 - 722. * Tetramethyl succinonitrile (X)
 - 723. * Tetranitromethane (X,I,R)
 - 724. * Tetrasul, ANIMERT V-101, S-para-Chlorophenyl-2,4,5-trichlorophenyl sulfide (X)
 - 725. Tetrazene, 4-Amidino-1-(nitrosamino-amidino)-1-tetrazene (I,R)
 - 726. * Thallium (X)
 - 727. * Thallium compounds (X)
 - 728. * Thallous sulfate, Thallium sulfate, RATOX (X)
 - 729. * Thiocarbonylchloride, Thiophosgene (X,C,R)
 - 730. * Thionazin, ZINOPHOS; O,O-Tetramethylthiuram monosulfide (X)
 - 731. * Thionyl chloride, Sulfur oxychloride (X,C,R)
 - 732. * Thiophosphoryl chloride (X,C,R)
 - 733. Thorium (powder) (I)
 - 734. Tin compounds (organic) (X)
-

-
- 735. Titanium (powder) (I)
 - 736. Titanium sulfate (X)
 - 737. * Titanium tetrachloride, Titanic chloride (X,C,R)
 - 738. Toluene, Methylbenzene (X,I)
 - 739. * Toluene-2,4-diisocyanate, TDI (I,R)
 - 740A. Toluidine, Aminotoluene (ortho,meta,para) (X)
 - 740B. * Toxaphene, Polychlorocamphene (X)
 - 741. * TRANID, exo-3-Chloro-endo-6-cyano-2-norbornanone-O-(methylcarbamoyl) oxime (X)
 - 743. 1,1,2-Trichloroethane (X)
 - 744. Trichloroethylene; Trichlorethene (X)
 - 745. Trichloroisocyanuric acid (X,I)
 - 746. * 2,4,5-Trichlorophenoxyacetic acid; 2,4,5-T (X)
 - 747. * Trichlorosilane, Silicochloroform (X,C,I,R)
 - 748. Trimethylamine, TMA (X,I)
 - 749. Trinitroanisole; 2,4,6-Trinitrophenyl methyl ether, (I,R)
 - 750. 1,3,5-Trinitrobenzene, TNB (I,R)
 - 751. Trinitronaphthalene, Naphtite (I,R)
 - 752. 2,4,6-Trinitrobenzoic acid (I,R)
 - 753. 2,4,6-Trinitroresorcinol, Styphnic acid (I,R)
 - 754. 2,4,6-Trinitrotoluene, TNT (X,I,R)
 - 755. * tris(1-Aziridinyl) phosphine oxide, Triethylenephospho-ramide, TEPA (X)
 - 756. Tungstic acid and salts (X)
 - 757. Turpentine (X,I)
 - 758. Uranyl nitrate, Uranium nitrate (X,I,R)
 - 759. Urea nitrate (X,I,R)
 - 760. n-Valeraldehyde, n-Pentanal (and isomers) (X,I)
 - 761. Vanadic acid salts (X)
 - 762. Vanadium oxytrichloride (X,C)
 - 763. * Vanadium pentoxide, Vanadic acid anhydride (X)
 - 764. Vanadium tetrachloride (X,C)
 - 765. Vanadium tetraoxide (X)
 - 766. Vanadium trioxide, Vanadium sesquioxide (X)
 - 767. Vanadyl sulfate, Vanadium sulfate (X)
 - 768. Vinyl acetate (I,X)
 - 769. * Vinyl chloride (X,I)
-

-
- 770. Vinyl ethyl ether (I)
 - 771. Vinylidene chloride, VC (X,I)
 - 772. Vinyl isopropyl ether (I)
 - 773. * Vinyltrichlorosilane (X,C,I,R)
 - 774. VX, O-Ethyl methyl phosphoryl N,N-diisopropyl thiocholine (X)
 - 775. * WEPSYN 155, WP 155, Triamiphos, para-(5-Amino-3-phenyl-1H-1,2,4-triazol-1-yl)-N, N, N', N'-tetramethylphosphonic diamide (X)
 - 776. Xylene, Dimethylbenzene (ortho,meta,para) (X,I)
 - 777. Zinc (powder) (I)
 - 778. Zinc ammonium nitrate (X,I)
 - 779. * Zinc arsenate (X)
 - 780. * Zinc arsenite (X)
 - 781. Zinc chloride (X,C)
 - 782. Zinc compounds (X)
 - 783. * Zinc cyanide (X)
 - 784. Zinc nitrate (X,I,R)
 - 785. Zinc permanganate (X,I)
 - 786. Zinc peroxide, Zinc dioxide (X,I,R)
 - 787. * Zinc phosphide (X,I,R)
 - 788. Zinc sulfate (X)
 - 789. Zirconium (powder) (I)
 - 790. * Zirconium chloride, Zirconium tetrachloride (X,C,R)
 - 791. Zirconium picramate (I)

(b) This subdivision sets forth a list of common names of wastes which are presumed to be hazardous wastes unless it is determined that the waste is not a hazardous waste pursuant to the procedures set forth in section 66262.11. The hazardous characteristics which serve as a basis for listing the common names of wastes are indicated in the list as follows:

(X) toxic, (C) corrosive, (I) ignitable and (R) reactive.

- Acetylene sludge (C)
- Acid and water (C)
- Acid sludge (C)
- AFU Flocc (X)
- Alkaline caustic liquids (C)
- Alkaline cleaner (C)
- Alkaline corrosive battery fluid (C)
- Alkaline corrosive liquids (C)
- Asbestos waste (X)
- Ashes (X,C)
- Bag house wastes (X)
- Battery acid (C)
- Beryllium waste (X)
- Bilge water (X)

Boiler cleaning waste (X,C)
Bunker Oil (X,I)
Catalyst (X,I,C) Caustic
sludge (C) Caustic
wastewater (C)
Cleaning solvents (I)
Corrosion inhibitor (X,C)
Data processing fluid (I)
Drilling fluids (X,C)
Drilling mud (X)
Dyes (X)
Etching acid liquid or solvent (C,I)
Fly ash (X,C)
Fuel waste (X,I)
Insecticides (X)
Laboratory waste (X,C,R,I)
Lime and sulfur sludge (C)
Lime and water (C)
Lime sludge (C)
Lime wastewater (C)
Liquid cement (I)
Mine tailings (X,R)
Obsolete explosives (R)
Oil and water (X)
Oil Ash (X,C)
Paint (or varnish) remover or stripper (I)
Paint thinner (X,I)
Paint waste (or slops) (X,I)
Pickling liquor (C)
Pigments (X)
Plating waste (X,C)
Printing Ink (X)
Retrograde explosives (R)
Sludge acid (C)
Soda ash (C)
Solvents (I)
Spent acid (C)
Spent caustic (C)
Spent (or waste) cyanide solutions (X,C)

Spent mixed acid (C)
Spent plating solution (X,C)
Spent sulfuric acid (C)
Stripping solution (X,I)
Sulfonation oil (I)
Tank bottom sediment (X)
Tanning sludges (X)
Toxic chemical toilet wastes (X)
Unrinsed pesticide containers (X)
Unwanted or waste pesticides --an unusable portion of active ingredient or undiluted formulation (X)
Waste epoxides (X,I)
Waste (or slop) oil (X)
Weed Killer (X)

(c) This subsection sets forth a list of electronic wastes that are presumed to be hazardous wastes and that are "covered electronic device[s]" pursuant to chapter 8.5 of part 3 of division 30 of the Public Resources Code section 42460 et seq., if they have a viewable screen size [as defined in sec. 66260.201, subsec. (b)(3)(C)] greater than four inches, unless it is determined that the electronic waste is not a hazardous waste pursuant to the procedures set forth in section 66262.11. The hazardous characteristic that serves as a basis for listing the common names of electronic wastes is toxicity.

-
- (1) Cathode ray tube (CRT)-containing devices (CRT devices);
 - (2) CRTs;
 - (3) CRT-containing computer monitors;
 - (4) Liquid crystal display (LCD)-containing laptop computers;
 - (5) LCD-containing desktop monitors;
 - (6) CRT-containing televisions;
 - (7) LCD-containing televisions (excluding LCD projection televisions);
 - (8) Plasma televisions (excluding plasma projection televisions);
 - (9) Portable DVD players with LCDs.

NOTE: Authority cited: Sections 25140, 25141, 25214.9, and 25214.10.1, Health and Safety Code; and Section 42475, Public Resources Code. Reference: Sections 25117, 25140, 25141, 25214.9, 25214.10 and 25214.10.1, Health and Safety Code; Section 42463, Public Resources Code.

HISTORY

1. New section filed 5-24-91; effective 7-1-91 (Register 91, No. 22).
2. New subsection (c) and amendment of Note filed 6-7-2004 as an emergency; operative 6-7-2004 (Register 2004, No. 24). Pursuant to Public Resources Code section 42475.2, a Certificate of Compliance must be transmitted to OAL by 6-7-2006 or emergency language will be repealed by operation of law on the following day.
3. Amendment of subsection (c) and amendment of Note filed 12-27-2004 as an emergency; operative 12-27-2004 (Register 2004, No. 53). Pursuant to Public Resources Code section 42475.2, a Certificate of Compliance must be transmitted to OAL by 1-1-2007 or emergency language will be repealed by operation of law on the following day.
4. New subsection (c) and Note, including subsequent emergency amendments, refiled 6-5-2006 as an emergency; operative 6-5-2006 (Register 2006, No. 23). Pursuant to Health and Safety Code section 25214.10.2, this emergency regulation shall remain in effect for a period of two years or until revised by the department, whichever occurs sooner.
5. Amendment of subsection (c) and Note filed 12-29-2006 as an emergency; operative 12-29-2006 (Register 2006, No. 52). Pursuant to Health and Safety Code section 25214.10.2, this emergency regulation shall remain in effect for a period of two years or until revised by the department, whichever occurs sooner.
6. New subsection (c) and Note refiled 5-8-2008 as an emergency; operative 5-8-2008 (Register 2008, No. 19). Pursuant to Health and Safety Code section 25214.10.2, this emergency regulation shall remain in effect for a period of two years or until revised by the department, whichever occurs sooner.
7. Certificate of Compliance as to 5-8-2008 order, including further amendment of subsection (c), new subsections (c)(1)-(9) and amendment of Note, transmitted to OAL 12-19-2009 and filed 2-4-2009 (Register 2009, No. 6).

Appendix E: List Of Inorganic Persistent and Bioaccumulative Toxic Substances And Their Soluble Threshold Limit Concentration

22CCR 66261.24 **TABLE II** - List of Inorganic Persistent and Bioaccumulative Toxic Substances and Their Soluble Threshold Limit Concentration (STLC):

Substance	STLC mg/l	TTLC Wet-Weight mg/kg
Antimony and/or antimony compounds	15	500
Arsenic and/or arsenic compounds	5.0	500
Asbestos		1.0 (as percent)
Barium and/or barium compounds	100	10,000
Beryllium and/or beryllium compounds	0.75	75
Cadmium and/or cadmium compounds	1.0	100
Chromium (VI) compounds	5{d}	500
Chromium and/or chromium (III) compounds	5	2,500
Cobalt and/or cobalt compounds	80	8,000
Copper and/or copper compounds	25	2,500
Fluoride salts	180	18,000
Lead and/or lead compounds	5.0	1,000
Mercury and/or mercury compounds	0.2	20
Molybdenum and/or molybdenum compounds	350	3,500
Nickel and/or nickel compounds	20	2,000
Selenium and/or selenium compounds	1.0	100
Silver and/or silver compounds	5	500
Thallium and/or thallium compounds	7.0	700
Vanadium and/or vanadium compounds	24	2,400
Zinc and/or zinc compounds	250	5,000

{d} If the soluble chromium, as determined by the TCLP set forth in Appendix I of chapter 18 of this division, is less than 5 mg/l, and the soluble chromium, as determined by the procedures set forth in Appendix II of chapter 11, equals or exceeds 560 mg/l and the waste is not otherwise identified as a RCRA hazardous waste pursuant to [section 66261.100](#), then the waste is a non-RCRA hazardous waste.

22CCR 66261.24 **TABLE III** -- List of Organic Persistent and Bioaccumulative Toxic Substances and Their Soluble Threshold Limit Concentration (STLC) and Total Threshold Limit Concentration (TTLC) Values:

Substance	STLC mg/l	TTLC Wet-Weight mg/kg
Aldrin	0.14	1.4
Chlordane	0.25	2.5
DDT, DDE, DDD	0.1	1.0
2,4-Dichlorophenoxyacetic acid	10	100
Dieldrin	0.8	8.0
Dioxin (2,3,7,8-TCDD)	0.001	0.01
Endrin	0.02	0.2
Heptachlor	0.47	4.7
Kepone	2.1	21
Lead compounds, organic	--	13
Lindane	0.4	4.0
Methoxychlor	10	100
Mirex	2.1	21
Pentachlorophenol	1.7	17
Polychlorinated biphenyls (PCBs)	5.0	50
Toxaphene	0.5	5
Trichloroethylene	204	2,040
2,4,5-Trichlorophenoxypropionic acid	1.0	10

Appendix F: SBCCD Waste Stream Designation/Category/Profile Table

Proceed to following page.

SBCCD WASTE STREAM DESIGNATION/CATEGORY/PROFILE*

CHEMICAL	NON-HAZARDOUS	NON-RCRA HAZARDOUS WASTE LIQUID	NON-RCRA HAZARDOUS WASTE SOLID	ENV. HAZARDOUS WASTE SOLID, N.O.S.	WASTE CORROSIVE LIQUID, ACIDIC, N.O.S.	WASTE CORROSIVE SOLID	WASTE CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S.	WASTE CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.	WASTE CORROSIVE SOLID, BASIC, INORGANIC, N.O.S.	WASTE FLAMMABLE LIQUID, N.O.S.	WASTE FLAMMABLE SOLID, N.O.S.	WASTE OXIDIZING LIQUID, N.O.S.	WASTE OXIDIZING SOLID, N.O.S.	HEAVY METALS /INORGANIC WASTE	INORGANIC, TOXIC	HIGHLY REACTIVE SOLID
Acetic Acid					X, organic											
Acetic Acid Solution					X, organic											
Acetic Anhydride					X, organic											
Acetone										X						
Acid Alcohol										X						
Acid Potassium, Phthalate			X													
Agar			X													
Agarose			X													
Albumin			X													
Albumin Egg			X													
Alizarin			X													
Alpha-Naphthol		X														
Aluminum, Activated			X													
Aluminum Ammonium Sulfate			X													
Aluminum Chloride							X									
Aluminum Oxide			X													
Aluminum Oxide G			X													
Aluminum Potassium Sulfate			X													
Amberlite			X													
Ammonium Carbonate			X													
Ammonium Cerium (IV) Nitrate												X				
Ammonium Chloride			X													
Ammonium Hydroxide Solution								X								
Ammonium Molybdate					X, inorganic											
Ammonium Oxalate							X									
Ammonium Phosphate Monobasic			X													
Ammonium Sulfate, Granular, Purified			X													
Ammonium Tartrate			X													
Ammonium Thiocyanate			X													
Ammonium Thiosulfate Pentahydrate			X													
Barium Carbonate			X													
Barium Chloride														X		
Barium Hydroxide									X							
Barium Nitrate									X							
Barium Sulfate							X									
Benedict's Reagent Powder			X													
Benedict's Qualitative Solution		X														
Benedict's Solution - Quantitative		X														
Bergamot Oil		X														
BHI Agar		X	X													
Bile Salts			X													

*Hazardous waste designations based upon the information provided by the contractor

SBCCD WASTE STREAM DESIGNATION/CATEGORY/PROFILE*

CHEMICAL	NON-HAZARDOUS	NON-RCRA HAZARDOUS WASTE LIQUID	NON-RCRA HAZARDOUS WASTE SOLID	ENV. HAZARDOUS WASTE SOLID, N.O.S.	WASTE CORROSIVE LIQUID, ACIDIC, N.O.S.	WASTE CORROSIVE SOLID	WASTE CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S.	WASTE CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.	WASTE CORROSIVE SOLID, BASIC, INORGANIC, N.O.S.	WASTE FLAMMABLE LIQUID, N.O.S.	WASTE FLAMMABLE SOLID, N.O.S.	WASTE OXIDIZING LIQUID, N.O.S.	WASTE OXIDIZING SOLID, N.O.S.	HEAVY METALS /INORGANIC WASTE	INORGANIC, TOXIC	HIGHLY REACTIVE SOLID	
Bis (2-Methoxyethyl Ether)										X							
Bismuth Subcarbonate			X														
Biurets Reagent with Sodium Hydroxide								X									
Blood Agar		X															
Mrs. Stewart's Bluing	X																
Boric Acid			X														
Bromophenol Blue		X															
Bromothymol Blue Indicator		X															
Bromothymol Blue Sodium Salt			X														
Chemvelope Buffers pH 2-11			X														
Buffer Solution pH 4.0		X															
Buffer Solution pH 7.0		X															
Buffer Solution pH 10.0		X ¹															
Buffer Solution Preservative										X							
Butvar (polyvinyl butyral) –Butvar B-74			X														
Calcium Acetate			X														
Calcium Carbonate, Marble Chips			X														
Calcium Carbonate Powder			X														
Calcium Chloride			X														
Calcium Hydroxide									X								
Calcium Nitrate												X	X				
Calcium Oxide						X, inorganic											
Calcium Phosphate Monobasic			X														
Calcium Phosphate Dibasic			X														
Calcium Turnings												X				X, when wet	
Calmagite			X														
Camphor												X, organic					
Carbolfuchsin		X															
Carbowax 20M			X														
Carmine			X														
Carolina Buffer Solutions Hydriion Buffer with Potassium Phospate																	
Carolina Perfect Solution		X															
Catalase Powder			X														
Charcoal												X, organic					
Chlorosufonic Acid						X, organic											
Chromium															X (toxic)		
Chromium (IC) Chloride			X												X		
Chromium Nitrate													X				

*Hazardous waste designations based upon the information provided by the contractor

SBCCD WASTE STREAM DESIGNATION/CATEGORY/PROFILE*

Chromium Potassium Sulfate			X													
Chromium Trioxide							X						X			

¹ HW designation provided by the contractor was flammable liquid; HW designated as Non-RCRA following review of MSDS.

SBCCD WASTE STREAM DESIGNATION/CATEGORY/PROFILE*

CHEMICAL	NON-HAZARDOUS	NON-RCRA HAZARDOUS WASTE LIQUID	NON-RCRA HAZARDOUS WASTE SOLID	ENV. HAZARDOUS WASTE SOLID, N.O.S.	WASTE CORROSIVE LIQUID, ACIDIC, N.O.S.	WASTE CORROSIVE SOLID	WASTE CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S.	WASTE CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.	WASTE CORROSIVE SOLID, BASIC, INORGANIC, N.O.S.	WASTE FLAMMABLE LIQUID, N.O.S.	WASTE FLAMMABLE SOLID, N.O.S.	WASTE OXIDIZING LIQUID, N.O.S.	WASTE OXIDIZING SOLID, N.O.S.	HEAVY METALS /INORGANIC WASTE	INORGANIC, TOXIC	HIGHLY REACTIVE SOLID
Chromosorb G Resin			X													
Chromosorb P			X													
Chromosorb W			X													
Cobalt Chloride					X, inorganic											
Cobalt (II) Nitrate Hexahydrate												X				
Congo Red		X														
Copper (II) Acetate			X													
Copper (II) Sulfate				X												
Copper Wire			X													
Corn Starch	X															
Crystal Violet		X														
Cupric Acetate						X, inorganic									X	
Cupric Carbonate								X								
Cupric Nitrate												X				
Cupric Oxide			X													
Cupric Sulfate Anhydrous						X, inorganic									X	
Cuprous Chloride					X, inorganic										X	
2,6 Dichloroindophenol			X													
Decarboxylase Broth		X														
Dextrose			X													
Diatase of Malt			X													
Dimethyl Alpha-Naphthylamine										X						
Disodium Ethylenediamine Tetracetate			X													
Dissection preserved Specimens FORM FREE Glutaraldehyde, Propylene glycol, Phenol, acetone										X						
DNase Agar		X														
Dodecyl Sulfate, Sodium Salt			X													
Elastosil M4444 Polydimethylsiloxane with hydroxyl groups + polydimethylsiloxane + fillers			X													
Elastosil M4514 Polydimethylsiloxane + auxiliaries			X													
Ethanol, 95% (Ethyl Alcohol)										X						
Ethyl Acetate		X														
Ethyl Alcohol										X						
Ethylenediamine Tetraacetic Acid		X														
Fermentation Broth + Sugar		X	X													
Ferric Chloride (10%)					X, inorganic											

*Hazardous waste designations based upon the information provided by the contractor

SBCCD WASTE STREAM DESIGNATION/CATEGORY/PROFILE*

CHEMICAL	NON-HAZARDOUS	NON-RCRA HAZARDOUS WASTE LIQUID	NON-RCRA HAZARDOUS WASTE SOLID	ENV. HAZARDOUS WASTE SOLID, N.O.S.	WASTE CORROSIVE LIQUID, ACIDIC, N.O.S.	WASTE CORROSIVE SOLID	WASTE CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S.	WASTE CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.	WASTE CORROSIVE SOLID, BASIC, INORGANIC, N.O.S.	WASTE FLAMMABLE LIQUID, N.O.S.	WASTE FLAMMABLE SOLID, N.O.S.	WASTE OXIDIZING LIQUID, N.O.S.	WASTE OXIDIZING SOLID, N.O.S.	HEAVY METALS /INORGANIC WASTE	INORGANIC, TOXIC	HIGHLY REACTIVE SOLID
Ferrous Ammonium Sulfate			X													
Ferrous Sulfate 7-Hydrate			X													
Formalin										X						
Fuchsin, Acid					X, inorganic											
Fuchsin, Basic								X								
Gelatin		X	X													
Glucose		X	X													
Glycerol		X														
3-Heptanone										X						
Hexanes										X						
Humectant Solution, Wards	X															
Hydrogen Peroxide (3%)												X				
Hydrochloric Acid					X, inorganic											
Hydrochloric Acid Solution					X, inorganic											
Hydroxylamine Hydrochloride								X								
Hydroxy Naphthol Blue			X													
Hypophosphoric Acid					X, inorganic											
Iodine (Gram's)		X														
Iodine					X, inorganic											
IKI Iodine-potassium Iodide Solution					X, inorganic											
Indicating Drierite			X													
Iron (II) Nitrate													X			
Iron (III) Chloride					X, inorganic											
Iron Oxide			X													
Isopropyl Alcohol										X						
Kovacs Reagent		X														
Lacquer Thinner										X						
Lactic Acid		X	X													
Lactose Broth		X														
Lead														X (toxic)		
Lead (II) Nitrate													X			
Lead Acetate															X	
Lead Chloride														X	X	
Leader Lens Cleaner Solution										X						
Lead Nitrate Crystals													X			
Charcoal Lighter Fluid										X						
Lime Water Tablets	X ²															
Lithium Sulfate			X													
Luminous Powder – Blue			X													
WMG Magikast 90 A		X														
Magnesium													X, inorganic			
Magnesium Acetate			X													
Magnesium Carbonate			X													
Magnesium Chloride			X													
Magnesium Nitrate Hexahydrate													X			

*Hazardous waste designations based upon the information provided by the contractor

SBCCD WASTE STREAM DESIGNATION/CATEGORY/PROFILE*

Magnesium Oxide			X													
Magnesium Sulfate			X													
Malachite Green		X														
Maneal's Stain		X														

² HW designation provided by the contractor was corrosive liquid/caustic; HW designated as Non-Hazardous following review of MSDS.

*Hazardous waste designations based upon the information provided by the contractor

SBCCD WASTE STREAM DESIGNATION/CATEGORY/PROFILE*

CHEMICAL	NON-HAZARDOUS	NON-RCRA HAZARDOUS WASTE LIQUID	NON-RCRA HAZARDOUS WASTE SOLID	ENV. HAZARDOUS WASTE SOLID, N.O.S.	WASTE CORROSIVE LIQUID, ACIDIC, N.O.S.	WASTE CORROSIVE SOLID	WASTE CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S.	WASTE CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.	WASTE CORROSIVE SOLID, BASIC, INORGANIC, N.O.S.	WASTE FLAMMABLE LIQUID, N.O.S.	WASTE FLAMMABLE SOLID, N.O.S.	WASTE OXIDIZING LIQUID, N.O.S.	WASTE OXIDIZING SOLID, N.O.S.	HEAVY METALS /INORGANIC WASTE	INORGANIC, TOXIC	HIGHLY REACTIVE SOLID
Manganese			X													
Manganese Carbonate			X													
Manganese Chloride			X													
Manganese Dioxide													X			
Manganese Oxide																
Manganese Sulfate			X													
Mercuric Chloride									X (toxic)							
Mercurous Nitrate													X			
Mercury								X (toxic)								
Mercury (II) Nitrate													X			
Methyl Orange		X														
Methyl Red		X														
Methyl Violet		X														
Methylene Blue (Loeffler's)		X														
Methylene Blue 1% Aq.		X														
MR-VP		X	X													
Muriatic Acid					X, organic											
Mystery Fluid .1% NaOH, dextrose, Methylene blue								X								
Neutral Red			X													
Nickel Ammonium Sulfate				X												
Nickel (II) Chloride Hexahydrate [Nickelous Nitrate]														X		
Nigrosin		X														
Nile Blue A			X													
Nitrate Broth												X				
Nitric Acid					X, inorganic											
OF Glucose		X	X													
1,10-Phenanthroline			X													
1,10-Phenanthroline Monohydrate			X													
Permout											X					
Phenolphthalein			X													
Phenol Red Solution		X														
Phenylalanine Agar		X														
Phosphoric Acid					X, inorganic											
Phosphorous Acid					X, inorganic											
Potassium												X, inorganic				X, when wet
Potassium Bisulfate			X													
Potassium Bitartrate			X													
Potassium Bromide			X													
Potassium Carbonate			X													
Potassium Chlorate													X			
Potassium Chloride			X													
Potassium Chloride Solution												X				
Potassium Chromate												X				

*Hazardous waste designations based upon the information provided by the contractor

SBCCD WASTE STREAM DESIGNATION/CATEGORY/PROFILE*

Chemical	NON-HAZARDOUS	NON-RCRA HAZARDOUS WASTE LIQUID	NON-RCRA HAZARDOUS WASTE SOLID	ENV. HAZARDOUS WASTE SOLID, N.O.S.	WASTE CORROSIVE LIQUID, ACIDIC, N.O.S.	WASTE CORROSIVE SOLID	WASTE CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S.	WASTE CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.	WASTE CORROSIVE SOLID, BASIC, INORGANIC, N.O.S.	WASTE FLAMMABLE LIQUID, N.O.S.	WASTE FLAMMABLE SOLID, N.O.S.	WASTE OXIDIZING LIQUID, N.O.S.	WASTE OXIDIZING SOLID, N.O.S.	HEAVY METALS /INORGANIC WASTE	INORGANIC, TOXIC	HIGHLY REACTIVE SOLID
Potassium Dichromate													X			
Potassium Fluoride															X	
Potassium Hexacyanoferrate									X							
Potassium Hydrogen Phthalate			X													
Potassium Hydroxide									X							
Potassium Hydroxide (16%)							X									
Potassium Iodate													X			
Potassium Iodide		X														
Potassium Iodide Solution												X				
Potassium Nitrate Crystal													X			
Potassium Oxalate															X	
Potassium Permanganate												X				
Potassium Permanganate Solution												X				
Potassium Phosphate			X													
Potassium Phosphate, Dibasic		X	X													
Potassium Phosphate, Monobasic			X													
Potassium Phosphate, Tribasic			X													
Potassium Phthalate			X													
Potassium Sulfate			X													
Preserved Specimen Holding Fluid Concentrate										X						
Propionic Acid					X, inorganic					X						
Propylene Glycol		X														
Pro-Text										X		X				
PV92 Homozygous Control ++		X														
PV92 Homozygous Control --		X														
PV92 Heterozygous Control -+		X														
PV92 /XC Loading Dye		X														
InstaGene Matrix		X														
Bio Safe DNA Stain	X															
50X Tris/Acetate Buffer	X															
Precision Molecular Mass Ruler			X													
PV92 Primer Mix for PCR		X														
PV92 Master Mix		X														
PV92 Fast Blast DNA		X														
Quinine Sulfate			X													
Rose Bengal			X													
Safranin		X														

*Hazardous waste designations based upon the information provided by the contractor

SBCCD WASTE STREAM DESIGNATION/CATEGORY/PROFILE*

Chemical	NON-HAZARDOUS	NON-RCRA HAZARDOUS WASTE LIQUID	NON-RCRA HAZARDOUS WASTE SOLID	ENV. HAZARDOUS WASTE SOLID, N.O.S.	WASTE CORROSIVE LIQUID, ACIDIC, N.O.S.	WASTE CORROSIVE SOLID	WASTE CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S.	WASTE CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.	WASTE CORROSIVE SOLID, BASIC, INORGANIC, N.O.S.	WASTE FLAMMABLE LIQUID, N.O.S.	WASTE FLAMMABLE SOLID, N.O.S.	WASTE OXIDIZING LIQUID, N.O.S.	WASTE OXIDIZING SOLID, N.O.S.	HEAVY METALS /INORGANIC WASTE	INORGANIC, TOXIC	HIGHLY REACTIVE SOLID
Silica Gel			X													
Silicar TLC-7 GF			X													
Silicic Acid (Silica Gel)			X													
Vi-Sil V-1067 Part A Polydimethylsiloxane Hydroxyl terminated Silicon Dioxide Sodium Sulfate Titanium Dioxide		X														
Vi-Sil V-1065 Silicon Paste Polydimethylsiloxane, hydroxyl terminated Precipitated Silica Poly(dimethyl)siloxane Titanium Dioxide			X													
Silicon Casting Catalyst Hi-ProBlue			X													
Silver Nitrate												X	X			
SIM Media		X														
Simmons Citrate Agar		X														
Skim Milk Agar		X	X													
Sodium Acetate			X													
Sodium Benzoate			X													
Sodium Bicarbonate		X	X													
Sodium Bismulfate			X													
Sodium Bismuthate			X													
Sodium Bisulfate								X ³								
Sodium Bisulfite					X, inorganic ⁴											
Sodium Borate			X													
Sodium Bromide			X													
Sodium Carbonate			X													
Sodium Chloride			X													
Sodium Citrate			X													
Sodium Hydroxide								X	X							
Sodium Hydroxide Solution								X								
Sodium Hypochloride								X								
Sodium Hypochlorite Solution								X								
Sodium Iodide			X													
Sodium Meta Bisulfite								X								
Sodium Metaphosphate			X													
Sodium Nitrate													X			
Sodium Oxalate			X													
Sodium Peroxide													X			
Sodium Phosphate			X													
Sodium Phosphate Monobasic			X													
Sodium Phosphate Tribasic			X													

*Hazardous waste designations based upon the information provided by the contractor

SBCCD WASTE STREAM DESIGNATION/CATEGORY/PROFILE*

Sodium Polyacrylate			X													
Sodium Sulfate			X													
Sodium Sulfide Solution		X														

³ HW designation provided by the contractor was Non-RCRA waste; HW designated as Corrosive Solid following review of MSDS.

⁴ HW designation provided by the contractor was Non-RCRA waste; HW designated as Corrosive Liquid following review of MSDS.

SBCCD WASTE STREAM DESIGNATION/CATEGORY/PROFILE*

CHEMICAL	NON-HAZARDOUS	NON-RCRA HAZARDOUS WASTE LIQUID	NON-RCRA HAZARDOUS WASTE SOLID	ENV. HAZARDOUS WASTE SOLID, N.O.S.	WASTE CORROSIVE LIQUID, ACIDIC, N.O.S.	WASTE CORROSIVE SOLID	WASTE CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S.	WASTE CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.	WASTE CORROSIVE SOLID, BASIC, INORGANIC, N.O.S.	WASTE FLAMMABLE LIQUID, N.O.S.	WASTE FLAMMABLE SOLID, N.O.S.	WASTE OXIDIZING LIQUID, N.O.S.	WASTE OXIDIZING SOLID, N.O.S.	HEAVY METALS /INORGANIC WASTE	INORGANIC, TOXIC	HIGHLY REACTIVE SOLID
Sodium Sulfite			X													X
Sodium Thiocyanate			X													
Sodium Thiosulfate Pentahydrate			X													
Spirit Blue Agar + Lipase		X														
Starch Agar		X	X													
Strontium Chloride			X													
Succinic Acid			X													
Sucrose	X															
Sulfanilic Acid			X													
Sulfuric Acid							X, inorganic									
Sulfuric Acid Solution							X, inorganic									
Talc			X													
Thioglycollate		X	X													
Thymol Blue		X														
Tin			X													
TSA		X	X													
TSB		X	X													
Motility Media + TTC		X	X													
Universal Indicator											X ⁵					
Urea Broth		X	X													
Value Craft Antifreeze		X														
Vanadium Pentoxide													X			
Yeast	X															
Zinc (Powder)			X													
Zinc Chloride							X, inorganic									
Zinc Nitrate													X			
Zinc Oxide			X													
Zinc Strips			X													
Zinc Sulfate				X												

⁵ HW designation provided by the contractor was non-RCRA liquid; HW designated as Flammable Liquid following review of MSDS.

*Hazardous waste designations based upon the information provided by the contractor

APPENDIX G: Weekly Hazardous Waste Container Storage Area Inspection Checklist

Inspector Name: _____ Date: _____ Time: _____
 Location of Inspection: _____ Total Number of Containers: _____

Inspection Item	YES	NO	Comments on Inspection Items
Containers Marked/ Labeled Properly			
Labels Legible			
Appropriate Containers for Type of Wastes			
Containers stored upright			
Wastes Separated/ Segregated Correctly			
Containers Dated Properly (i.e. accumulation dates)			
Containers Stored 180 Days or Less			
Containers Observed to be free of Leaks / Staining (i.e. not overfilled)			
Containers Observed with Closed Tops or Bungs			
Containers Observed without Dents or Corrosion			
Appropriate Aisle Space Maintained			
Containment System free of Cracks, Water or Other Liquids			
Area Free of Debris and Other Materials			
Area Free of Spills or Leaks			
Proper Signage, Waste Procedures Posted			
Emergency Response Equipment in Proper Working Order			

Describe any observations for items checked 'NO'. _____

Corrective actions required. _____

Reviewed By: _____ Date: _____

Note: State and Federal Regulations require that this inspection be performed weekly. Maintain checklist as documentation in SBCCD Hazardous Waste Management Plan.

Appendix H: SBCCD Accident/Incident Report



HUMAN RESOURCES
 550 E. Hospitality Lane Suite 200
 San Bernardino, CA 92408
 www.sbccd.edu

EMPLOYEE REPORT OF INJURY/ILLNESS

SECTION I: EMPLOYEE PERSONAL INFORMATION

Employee Name		Job title	Campus/Department
Home Address		Phone Number	
Date of Birth	Last 4 of social security #	Time you began <u>work</u> _____ a.m. <input type="checkbox"/> p.m.	
Please check all that apply: <input type="checkbox"/> Full-time <input type="checkbox"/> Part-time <input type="checkbox"/> Classified <input type="checkbox"/> Academic <input type="checkbox"/> Confidential <input type="checkbox"/> Manager <input type="checkbox"/> Substitute/Hourly <input type="checkbox"/> Student			
Type of injury (check one):			
<input type="checkbox"/> Animal bite		<input type="checkbox"/> Struck by or against object	
<input type="checkbox"/> Burn		<input type="checkbox"/> Repetitive motion (Ergonomic)	
<input type="checkbox"/> Puncture and/or bodily fluid <u>exposure</u>		<input type="checkbox"/> Cut or wound	
<input type="checkbox"/> Lifting, pushing, pulling, or other material handling activities		<input type="checkbox"/> Chemical <u>exposure</u>	
<input type="checkbox"/> Other (specify): _____			
Date of Injury/Illness	Location of injury/illness	Time of Injury _____ a.m. <input type="checkbox"/> p.m.	
Any witnesses? <input type="checkbox"/> Yes <input type="checkbox"/> No Specific name(s):		Was anyone else injured? <input type="checkbox"/> Yes <input type="checkbox"/> No Specific name(s):	
Was the accident preventable <input type="checkbox"/> Yes <input type="checkbox"/> No If yes, please explain:		Who did you notify regarding this injury/illness?	

SECTION II: REPORT

Describe fully how accident occurred (including events that occurred immediately before the accident):	
Describe bodily injury sustained (be specific about body part(s) affected)	
Recommendation on how to prevent this accident from reoccurring:	
Employee signature	Date:

Please keep a copy, send copy to supervisor, and send original to VP of Administrative Services